



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





C	Wire	Tinned copper
	Gauge	AWG 28/7 0,089 mm ²
	Voltage rating	300 Vr.m.s
	Current rating	2,1A at 25°C
	Capacity unbalanced	45,9 pF/m at 1 MHz
	Impedance unbalanced	105 Ω
	Propagation delay	4,9 ns/m nominal
	Insulation material	PVC
	Temperature rating	-20°C (operating) -30°C (static) to +105°C
	Flammability rating	Flame retardant VW1
	Insulation resistance	100 MΩ/km
	Approval	UL AWM style 2651

A				Dat.	Name	 All Dim. in mm Orig. Size DIN A 4	SEK 18 flat cable 20 poles	Maßstab/ Scale	
				Detail.	20/10/05			JMDR	10:1
				Insp.					
				Stand.					
	EC01360	19/02/10	SC						
	34400	17/09/07	PK	HARTING EURL F-95972 Paris					
	33246	20/10/05	JMDR				TB 09 18 020 700X	Blatt/ Page	
	Part number	Length per reel	Mod.	Dat.	Name		Sub.	1 / 1	

09 18 020 7004	100 m (328 feet)
09 18 020 7001	30,48 m (100 feet)
Part number	Length per reel