imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



NOTES:	THIRD ANGLE PROJ. 🕀 🖯	
I. MATERIALS AND FINISHES:		DESCR
HD-BNC STR CRIMP PLUG - 34-1026	A RE	ELEASE
I.O/2.3 PULL-PUSH CRIMP PLUG - 282138-75 CABLE - BELDEN 1855A		
2. ELECTRICAL:		
A. IMPEDANCE: 75 OHM		
3. PACKAGING:		
A. QUANTITY: SINGLE PACK B. MARKING: BAG TO BE MARKED		
"AMPHENOL RF, 95-850-155XXXX AND DATE CODE".		
	LENGTH "L" (SEE TABLE)	
HD-BNC STR CRIMP PLUG	BELDEN 1855A CABLE I.O	/2.3 F
TYP(2)		
	·	
)	
	Г]	
	LENGTH TABLE	
	PART NUMBER PART NUMBER LENGTH "L" IN (IMPERIAL) (METRIC) INCHES [METERS]	
	95-850-155-006 - 6.00 [0.152]	
	95-850-155M025 9.84 [0.250]	
	95-850-155-012 - 12.00 [0.305]	
	95-850-155-018 - 18.00 [0.457]	
	- 95-850-155M050 19.69 [0.500] 95-850-155-024 - 24.00 [0.610]	
	- 95-850-155M075 29.53 [0.750]	
	95-850-155-036 36.00 [0.914]	
	- 95-850-155M100 39.37 [1.000]	
DESIGN REQUIREMENTS:	95-850-155-048 - 48.00 [1.219]	
X FREQUENCY : DC TO 4 GHz	- 95-850-155M200 78.74 [2.000] 95-850-155M400 157.48 [4.000]	
VSWR : MAX X HI-POT: 500 VRMS		
	CUST	
L INS. LOSS dB MAX	ALI	_ OTH
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES MATERIAL	DRAWN DATE TITLE RAJAGOPAL N ^{09-Dec-14} HD-BNC STR CRIMP F	
±.015 (0,381 mm) ±.005 (0,127 mm) ± 1° NOTICE - These drawings, specifications, or other data (1) are, and remain the SEE NOTES	ENGINEER DATE I.0/2.3 PUSH-PULL	
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they	RAJAGOPAL N 09-Dec-14 USING BELDEN 18554	
are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is	APPROVED DATE VARIOUS LENGTHS	
confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any CONFIGURATION LEVEL:	K. CAPOZZI 5/7/15 SCALE: 2.5:1.0 SHEET	2 OF
product, process or design, patented of otherwise, that may in any way be related to	CAD FILE DWG STZE	
FINISH	B	

