



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PS2 VGA over Cat5 UTP KVM Console Extender Kit - 360-ft.

MODEL NUMBER: **0DT23001**



Description

From SOHO Environments to Industrial Applications

- KVM extension
- Dual-user access
- 2 by 2 control
- KVM switch extension

Features

- Extends KVM control over 110m / 360ft from your computer or KVM switch
- Dual-user function - double the power of your computer by allowing 2-user access
- 2 port KVM switch function
- Advanced CAT5 technology - utilizes low density cabling that is easy to install
- Supports video resolutions up to 1600 x 1200 @ 75Hz
- Pure hardware solution - software/network independent
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Highlights

- Extends KVM control over 110m / 360ft from your computer or KVM switch
- Dual-user function - double the power of your computer by allowing 2-user access
- 2 port KVM switch function
- Advanced CAT5 technology - utilizes low density cabling that is easy to install
- Supports video resolutions up to 1600 x 1200 @ 75Hz
- Pure hardware solution - software/network independent
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

System Requirements

- Compatible with DOS, Windows (3x, 9x, 2000, NT4, ME, XP and later), Linux, UNIX, HP UX, QNX, SGI, FreeBSD, BeOS, Open VMS, Novell
- Computer with a VGA monitor port
- Computer with PS/2 keyboard and mouse ports
- VGA monitor
- PS/2 keyboard and mouse

Package Includes

- Local Transmitter Unit
- Remote Receiver Unit
- External Power Supply with NEMA 1-15P Plug (Input: 100-240V, 50/60Hz, Output: DC6V,



800mA)

- VGA + PS/2 Cable Kit
- Owner's Manual

Specifications

OVERVIEW	
AC Adapter	(Input: 100-240V, 50/60Hz, Output: DC6V, 800mA)
Accessories Type	Extender Kit
PHYSICAL	
Color	Silver
ENVIRONMENTAL	
Storage Temperature Range	-40 to 40 C / -40 to 104 F
Operating Temperature	0 to 40 C / 32 to 104 F
CONNECTIONS	
PC/Server Connections	VGA; PS/2
WARRANTY	
Product Warranty Period (Worldwide)	3-year limited warranty

© 2017 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>