



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



POWR-BLOKS™ Distribution/Splicer Blocks and Covers



POWR-BLOKS™ power distribution and splicer blocks offer a safe, convenient way of splicing cables, providing a fixed junction tap-off point, or splitting primary power into secondary circuits. Blocks have one or two primary inputs, with up to twelve secondary outputs per pole. The number of poles available ranges from one to four.

APPLICATIONS

Typical applications include heating, air conditioning and refrigeration systems, elevator systems, material handling equipment, control panels, motor controls, switchgear, and anywhere power needs to be distributed to more than one load.

CONNECTORS

Box lug connectors are designed for use with a single, solid or class B or C stranded conductor. Use of more than one conductor per connector opening or use of extra-flexible, fine stranded conductors, such as welding cable, voids the UL Listing, and may cause overheating. Manufacturers of cable terminations can furnish crimp-on sleeves for fine stranded conductors which permit these conductors to be used with box lugs.

SPECIFICATIONS

Voltage Rating: 600V

Amperage: Based on NEC Table 310-16, using 75°C copper wire

Material: Phenolic rated at 150°C and Thermoplastic rated at 125°C (LD1400 and LS1300 series only)


Connector: Standard: Highly conductive aluminum, tin plated
Copper: Highly conductive copper, tin plated

Flammability Rating: 94V-0


Approvals: UL Recognized (File No. E171395)
CSA Certified (File No. LR700111)

ORDERING INFORMATION

**Distribution Block
Example Part No.**



**Splicer Block
Example Part No.**



AMPERE RATINGS

The ampere rating per pole for power distribution blocks is based on the line ampacity of 75° C insulated conductors per NEC Table 310-16. If 60° C insulated conductors are used, load must not exceed the ampacity of 60° C conductors. Use of conductors rated in excess of 75° C is permitted (for example 90° C), however, load must not exceed the ampacity of 75° C conductors.

Distribution Block Covers



Power Distribution Block Covers provide protection against accidental shorting between poles caused by loose wires, tools or other conductive material. They also protect personnel from accidentally contacting energized connectors.

SPECIFICATIONS

Material: 0.06" clear plexiglas™.

FEATURES

Two thread-cutting screws are furnished for each cover.

Covers are slotted for easy installation.

Covers available for all Power Distribution Blocks... see below.

Blocks
And
Holders

Power Distribution/Splicer Block Cover Selection Guide & Dimensions

Littelfuse Part Number	For use with Power Distribution Block No.
LPBC0-2	LX0XXX-2
LPBC0-3	LX0XXX-3
LPBC2-1	LX2XXX-1
LPBC2-2	LX2XXX-2
LPBC2-3	LX2XXX-3
LPBC3-1	LX3XXX-1
LPBC3-2	LX3XXX-2
LPBC3-3	LX3XXX-3
LPBC4-1	LX4XXX-1
LPBC4-2	LX4XXX-2
LPBC4-3	LX4XXX-3
LPBC5-1	LX5XXX-1
LPBC5-2	LX5XXX-2
LPBC5-3	LX5XXX-3

POWR-BLOKS™ Distribution/Splicer Blocks and Covers



Distribution Block Selection Guide

Connector Configuration			Amp Rating per Pole	Number of Poles	Line		Load		Littelfuse Catalog Number	Littelfuse System Number	
Mat'l	Line	Load			Wire Range	Openings per Pole	Wire Range	Openings per Pole			
AL			115	1	#2 - #14	1	#10 - #18	4	LD1400-1	OLD14001Z	
			115	2	#2 - #14	1	#10 - #18	4	LD1400-2	OLD14002Z	
			115	3	#2 - #14	1	#10 - #18	4	LD1400-3	OLD14003Z	
			115	4	#2 - #14	1	#10 - #18	4	LD1400-4	OLD14004Z	
AL			175	2	2/0 - #14	1	#4 - #14	6	LD0401-2	OLD04012Z	
			175	3	2/0 - #14	1	#4 - #14	6	LD0401-3	OLD04013Z	
AL			175	2	2/0 - #14	1	#4 - #14	4	LD0402-2	OLD04022Z	
			175	3	2/0 - #14	1	#4 - #14	4	LD0402-3	OLD04023Z	
AL			310	2	350mcm - #6	1	#4 - #14	6	LD0404-2	OLD04042Z	
			310	3	350mcm - #6	1	#4 - #14	6	LD0404-3	OLD04043Z	
AL			175	1	2/0 - #14	1	#4 - #14	4	LD2570-1	OLD25701Z	
			175	2	2/0 - #14	1	#4 - #14	4	LD2570-2	OLD25702Z	
			175	3	2/0 - #14	1	#4 - #14	4	LD2570-3	OLD25703Z	
CU			175	1	2/0 - #14	1	#4 - #14	4	LD2970-1	OLD29701Z	
			175	2	2/0 - #14	1	#4 - #14	4	LD2970-2	OLD29702Z	
			175	3	2/0 - #14	1	#4 - #14	4	LD2970-3	OLD29703Z	
AL			335	1	400mcm - #6	1	#2 - #14	4	LD3552-1	OLD35521Z	
			335	2	400mcm - #6	1	#2 - #14	4	LD3552-2	OLD35522Z	
			335	3	400mcm - #6	1	#2 - #14	4	LD3552-3	OLD29703Z	
AL			335	1	400mcm - #6	1	#2 - #14	6	LD3553-1	OLD35531Z	
			335	2	400mcm - #6	1	#2 - #14	6	LD3553-2	OLD35532Z	
			335	3	400mcm - #6	1	#2 - #14	6	LD3553-3	OLD29733Z	
AL			350	1	2/0 - #14	2	#4 - #14	6	LD3555-1	OLD35551Z	
			350	2	2/0 - #14	2	#4 - #14	6	LD3555-2	OLD35552Z	
			350	3	2/0 - #14	2	#4 - #14	6	LD3555-3	OLD35553Z	
CU			380	1	500mcm - #4	1	#2 - #14	6	LD3953-1	OLD39531Z	
			380	2	500mcm - #4	1	#2 - #14	6	LD3953-2	OLD39532Z	
			380	3	500mcm - #4	1	#2 - #14	6	LD3953-3	OLD39533Z	
CU			350	1	2/0 - #14	2	#4 - #14	6	LD3955-1	OLD39551Z	
			350	2	2/0 - #14	2	#4 - #14	6	LD3955-2	OLD39552Z	
			350	3	2/0 - #14	2	#4 - #14	6	LD3955-3	OLD39553Z	
AL			380	1	500mcm - #4	1	#2 - #14	6	LD4551-1	OLD45511Z	
			380	2	500mcm - #4	1	#2 - #14	6	LD4551-2	OLD45512Z	
			380	3	500mcm - #4	1	#2 - #14	6	LD4551-3	OLD45513Z	
AL			335	1	400mcm - #6	1	#2 - #14	8	LD4560-1	OLD45601Z	
			335	2	400mcm - #6	1	#2 - #14	8	LD4560-2	OLD45602Z	
			335	3	400mcm - #6	1	#2 - #14	8	LD4560-3	OLD45603Z	
AL			380	1	500mcm - #4	1	#2 - #14	12	LD5552-1	OLD55521Z	
			380	2	500mcm - #4	1	#2 - #14	12	LD5552-2	OLD55522Z	
			380	3	500mcm - #4	1	#2 - #14	12	LD5552-3	OLD55523Z	
AL			380	1	500mcm - #4	1	2/0 - #14	6	LD5579-1	OLD55791Z	
			380	2	500mcm - #4	1	2/0 - #14	6	LD5579-2	OLD55792Z	
			380	3	500mcm - #4	1	2/0 - #14	6	LD5579-3	OLD55793Z	
AL			760	1	500mcm - #4	2	2/0 - #14	8	LD5586-1	OLD55861Z	
			760	2	500mcm - #4	2	2/0 - #14	8	LD5586-2	OLD55862Z	
			760	3	500mcm - #4	2	2/0 - #14	8	LD5586-3	OLD55863Z	
AL			665	1	500mcm - #4 350mcm - #6	1	2/0 - #14	4	LD5587-1	OLD55871Z	
			665	2	500mcm - #4 350mcm - #6	1	2/0 - #14	4	LD5587-2	OLD55872Z	
			665	3	500mcm - #4 350mcm - #6	1	2/0 - #14	4	LD5587-3	OLD55873Z	

Blocks Available in Various Colors

POWR-BLOKS™ Distribution/Splicer Blocks and Covers



Distribution Block Selection Guide




Connector Configuration			Amp Rating per Pole	Number of Poles	Line		Load		Littelfuse Catalog Number	Littelfuse System Number	
Mat'l	Line	Load			Wire Range	Openings per Pole	Wire Range	Openings per Pole			
AL			760	1	500mcm-#4	2	#4 - #14	12	LD5592-1	OLD55921Z	
			760	2	500mcm-#4	2	#4 - #14	12	LD5592-2	OLD55922Z	
			760	3	500mcm-#4	2	#4 - #14	12	LD5592-3	OLD55923Z	
AL			380	1	500mcm-#4	1	#2 - #14	8	LD5594-1	OLD55941Z	NEW
			380	2	500mcm-#4	1	#2 - #14	8	LD5594-2	OLD55942Z	NEW
			380	3	500mcm-#4	1	#2 - #14	8	LD5594-3	OLD55943Z	NEW
CU			760	1	500mcm-#4	2	2/0 - #14	8	LD5986-1	OLD59861Z	NEW
			760	2	500mcm-#4	2	2/0 - #14	8	LD5986-2	OLD59862Z	NEW
			760	3	500mcm-#4	2	2/0 - #14	8	LD5986-3	OLD59863Z	NEW
CU			760	1	500mcm-#4	2	#2 - #14	12	LD5992-1	OLD59921Z	NEW
			760	2	500mcm-#4	2	#2 - #14	12	LD5992-2	OLD59922Z	NEW
			760	3	500mcm-#4	2	#2 - #14	12	LD5992-3	OLD59923Z	NEW

Splicer Block Selection Guide

Connector Configuration			Amp Rating per Pole	Number of Poles	Line		Load		Littelfuse Catalog Number	Littelfuse System Number	
Mat'l	Line	Load			Wire Range	Openings per Pole	Wire Range	Openings per Pole			
AL			310	2	350mcm-#6	1	350mcm-#6	1	LS0303-2	OLS03032Z	NEW
			310	3	350mcm-#6	1	350mcm-#6	1	LS0303-3	OLS03033Z	NEW
AL			115	1	#2 - #14	1	#2 - #14	1	LS1300-1	OLS13001Z	NEW
			115	2	#2 - #14	1	#2 - #14	1	LS1300-2	OLS13002Z	NEW
			115	3	#2 - #14	1	#2 - #14	1	LS1300-3	OLS13003Z	NEW
			115	4	#2 - #14	1	#2 - #14	1	LS1300-4	OLS13004Z	NEW
CU			150	1	1/0 - #18	1	1/0 - #18	1	LS2121-1	OLS21211Z	NEW
			150	2	1/0 - #18	1	1/0 - #18	1	LS2121-2	OLS21212Z	NEW
			150	3	1/0 - #18	1	1/0 - #18	1	LS2121-3	OLS21213Z	NEW
AL			115	1	#2 - #14	1	#2 - #14	1	LS2552-1	OLS25521Z	NEW
			115	2	#2 - #14	1	#2 - #14	1	LS2552-2	OLS25522Z	NEW
			115	3	#2 - #14	1	#2 - #14	1	LS2552-3	OLS25523Z	NEW
AL			175	1	2/0 - #14	1	2/0 - #14	1	LS2572-1	OLS25721Z	
			175	2	2/0 - #14	1	2/0 - #14	1	LS2572-2	OLS25722Z	
			175	3	2/0 - #14	1	2/0 - #14	1	LS2572-3	OLS25723Z	
AL			255	1	250mcm-#6	1	250mcm-#6	1	LS3123-1	OLS31231Z	
			255	2	250mcm-#6	1	250mcm-#6	1	LS3123-2	OLS31232Z	
			255	3	250mcm-#6	1	250mcm-#6	1	LS3123-3	OLS31233Z	
CU			255	1	250mcm-#6	1	250mcm-#6	1	LS3124-1	OLS31241Z	NEW
			255	2	250mcm-#6	1	250mcm-#6	1	LS3124-2	OLS31242Z	NEW
			255	3	250mcm-#6	1	250mcm-#6	1	LS3124-3	OLS31243Z	NEW
AL			310	1	350mcm-#6	1	350mcm-#6	1	LS3126-1	OLS31261Z	
			310	2	350mcm-#6	1	350mcm-#6	1	LS3126-2	OLS31262Z	
			310	3	350mcm-#6	1	350mcm-#6	1	LS3126-3	OLS31263Z	
AL			420	1	600mcm-#4	1	600mcm-#4	1	LS4557-1	OLS45571Z	NEW
			420	2	600mcm-#4	1	600mcm-#4	1	LS4557-2	OLS45572Z	NEW
			420	3	600mcm-#4	1	600mcm-#4	1	LS4557-3	OLS45573Z	NEW
AL			620	1	350mcm-#4	2	350mcm-#4	2	LS5129-1	OLS51291Z	NEW
			620	2	350mcm-#4	2	350mcm-#4	2	LS5129-2	OLS51292Z	
			620	3	350mcm-#4	2	350mcm-#4	2	LS5129-3	OLS51293Z	
AL			760	1	500mcm-#4	2	500mcm-#4	2	LS5301-1	OLS53011Z	
			760	2	500mcm-#4	2	500mcm-#4	2	LS5301-2	OLS53012Z	
			760	3	500mcm-#4	2	500mcm-#4	2	LS5301-3	OLS53013Z	

Blocks
And
Holders

POWR-BLOKS™ Distribution/Splicer Blocks and Covers



POWR-BLOKS™ Distribution/Splicer Blocks and Covers



LX4XXX




Figure 4

LX5XXX




Figure 5

Blocks
And
Holders