

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











SmartRack 116 16-Port Console Cat5 KVM with 17-in. LCD

MODEL NUMBER: 0SU52091







Description
Local Access

Control More Servers

Slim, 1U Solution that Saves Space

Features

- 16 Port KVM
- 17" TFT LCD Display
- BIOS level access
- Multi-platform PS/2 and USB support
- Extends distance between servers and switch up to 30 meters/100 feet
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

OVERVIEW	
UPC Code	654518211344

Highlights

- 16 Port KVM
- 17" TFT LCD Display
- BIOS level access
- Multi-platform PS/2 and USB support
- Extends distance between servers and switch up to 30 meters/100 feet
- Compliant with the Federal
 Trade Agreements Act (TAA) for
 GSA Schedule purchases

System Requirements Operating System

Compatible with Windows,
 Linux, Unix and all other major
 operating systems

Resolution

 Supports video resolutions up to 1280 x 1024

Package Includes

- SmartRack 116 Cat5 KVM
 Switch
- RS232 Download Cable
- · Rackmount Kit
- Owner's Manual





Users	1	
Console	Yes	
PHYSICAL		
Shipping Weight (lbs.)	41.8900	
Shipping Weight (kg)	19.00	
Unit Dimensions (hwd / in.)	1.7 x 17.6 x 25.2	
Unit Dimensions (hwd / cm)	4.4 x 44.75 x 64	
Unit Weight (lbs.)	40.1	
Unit Weight (kg)	18.19	
Color	Black	
ENVIRONMENTAL		
Storage Temperature Range	-40 to 70 C / -40 to 158 F	
Relative Humidity	10 to 90% RH	
Operating Temperature	0 to 40 C / 32 to 104 F	
COMMUNICATIONS		
Port Control	Hotkeys, OSD	
IP Remote Access	No	
CONNECTIONS		
Ports	16	
PC/Server Connections	VGA; USB; PS/2	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies