



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Smart 116 IP - 16-Port, Remote Access Cat5 KVM Switch for Rack Environments

MODEL NUMBER: 0SU70030



### Description

Local or remote access to servers in the data center

Ideal for branch offices and growing companies

Industry standard security

BIOS level, mixed platform access

### Features

- 16 Ports
- Remote or Local Access
- BIOS level access
- Multi-platform – PS/2 and USB support
- Extends distance between servers and switch up to 30 meters/100 feet over Cat5e cable
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule Purchases

## Specifications

### Highlights

- 16 Ports
- Remote or Local Access
- BIOS level access
- Multi-platform – PS/2 and USB support
- Extends distance between servers and switch up to 30 meters/100 feet over Cat5e cable
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule Purchases

### System Requirements

#### Operating System

- Host & Remote: Windows, Linux

#### Resolution

- Target Server: 1600 x 1200 @ 85Hz
- Client Computer:  
Recommended that resolution should be higher than local computer resolution

### Package Includes

- Smart 116 IP Cat5 KVM Switch
- RS232 Download Cable
- Rackmount Kit
- Owner's Manual



<b>OVERVIEW</b>	
UPC Code	654518209303
Users	1
Console	No
<b>PHYSICAL</b>	
Shipping Dimensions (hwd / in.)	5.000 x 1.080 x 1.660
Shipping Dimensions (hwd / cm)	12.70 x 2.74 x 4.22
Shipping Weight (lbs.)	7.7000
Shipping Weight (kg)	3.49
Unit Dimensions (hwd / in.)	1.6 x 17 x 9.1
Unit Dimensions (hwd / cm)	4.1 x 43.1 x 23
Unit Weight (lbs.)	5.6
Unit Weight (kg)	2.54
Color	Black
<b>ENVIRONMENTAL</b>	
Storage Temperature Range	-40 to 70 C / -40 to 158 F
Operating Temperature	0 to 40 C / 32 to 104 F
<b>COMMUNICATIONS</b>	
Port Control	Hotkeys, OSD, Remote Toolbar
IP Remote Access	Yes
<b>CONNECTIONS</b>	
Ports	16
PC/Server Connections	VGA; USB; PS/2
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	3-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>