



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PX Serial Remote KVM Access

MODEL NUMBER: 0SU70033



Description

Non-blocking serial device access

Complete access to your computer - any time, anywhere

Complete remote support for mission critical applications

Scalable centralized management

Features

- Single port, palm-sized device
- BIOS level access over IP connection
- Management system enabled
- Cost-effective & easily scalable
- Ideal for isolated/widely distributed servers
- Supports data rates from 110 bps to 460.8 Kbps
- Supports ICMP, IP, TCP, UDP, DHCP, BootP, ARP / RARP, DNS, SNMP MIB II, HTTPS, SSH
- Built-in 1.5 KV magnetic isolation
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Highlights

- Single port, palm-sized device
- BIOS level access over IP connection
- Management system enabled
- Cost-effective & easily scalable
- Ideal for isolated/widely distributed servers
- Supports data rates from 110 bps to 460.8 Kbps
- Supports ICMP, IP, TCP, UDP, DHCP, BootP, ARP / RARP, DNS, SNMP MIB II, HTTPS, SSH
- Built-in 1.5 KV magnetic isolation
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

System Requirements

- Supports data rates from 110 bps to 460.8 Kbps
- Supports ICMP, IP, TCP, UDP, DHCP, BootP, ARP / RARP, DNS, SNMP MIB II, HTTPS, SSH

Package Includes

- PX Serial
- Power Supply
- Mounting Kit Footpads
- CD



Specifications

OVERVIEW	
UPC Code	654518209297
Accessories Type	Remote Management
PHYSICAL	
Shipping Dimensions (hwd / in.)	2.400 x 9.000 x 5.600
Shipping Dimensions (hwd / cm)	6.10 x 22.86 x 14.22
Shipping Weight (lbs.)	1.3000
Shipping Weight (kg)	0.59
Color	Silver
ENVIRONMENTAL	
Storage Temperature Range	-20 to 85 C / -4 to 185 F
Relative Humidity	5 to 95% Non-Condensing
Operating Temperature	-10 to 70 C / 14 to 158 F
WARRANTY	
Product Warranty Period (Worldwide)	3-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>