



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832





Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 103639, 103639
 © COPYRIGHT 103639BY - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
AD	00	W4	REVISED PER ECO-11-008710		27APR11	HMR	JG



RECOMMENDED HOLE LAYOUT

- 1 .000100 BRIGHT TIN-LEAD OVER .000050 NICKEL.
- 2 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 3 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND THE HOUSING.
- 4 ON ASSEMBLIES WITH FOUR OR MORE POSITIONS, TWO POLARIZATION SLOTS. ON ASSEMBLIES WITH TWO OR THREE POSITIONS, ONE POLARIZATION SLOT.
- 5 .000100 BRIGHT TIN OVER .000050 NICKEL.
- 6 PRELIMINARY PART-NOT RELEASED FOR PRODUCTION.
- 7 .000100 MATTE TIN OVER .000050 NICKEL.
- 8 HIGH TEMPERATURE CONFIGURATION
- 9 STANDOFFS NOT PRESENT ON UNDERSIDE OF ASSEMBLY
- 10 SUPERSEDED BY P/N 5-103639-2.
- 11 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	05MAR91	TE TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK	27MAR93		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	27MAR93	NAME	
0 PLC	± -	L.CASTAGNA		HDR ASSY, VERT, SINGLE ROW	
1 PLC	± -	L.CASTAGNA		2.54 [100] C/L 0.64 [025] SQ POST,	
2 PLC	± 0.13[.005]	PRODUCT SPEC		WITH PLZN & LATCHING, AMPMODU MTE	
3 PLC	± -	APPLICATION SPEC		SIZE	A2
4 PLC	± -	114-25026		CAGE CODE	-
ANGLES	± -	WEIGHT		DRAWING NO	C=103639
FINISH	SEE TABLE	CUSTOMER DRAWING		RESTRICTED TO	-
MATERIAL HOUSING:		SCALE		SHEET	
		4:1		1 OF 2	
		REV		W4	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 103639 , 103639
 © COPYRIGHT 103639 by - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

REMARKS	PLATING	C	B	A	NO. OF POSN	PART NO.
△9△8	△7	64.01 [2.520]	66.04 [2.600]	24	25	7-103639-4
△9△8	△7	61.47 [2.420]	63.50 [2.500]	23	24	7-103639-3
△9△8	△7	58.93 [2.320]	60.96 [2.400]	22	23	7-103639-2
△9△8	△7	56.39 [2.220]	58.42 [2.300]	21	22	7-103639-1
△9△8	△7	53.85 [2.120]	55.88 [2.200]	20	21	7-103639-0
△9△8	△7	51.31 [2.020]	53.34 [2.100]	19	20	6-103639-9
△9△8	△7	48.77 [1.920]	50.80 [2.000]	18	19	6-103639-8
△9△8	△7	46.23 [1.820]	48.26 [1.900]	17	18	6-103639-7
△9△8	△7	43.69 [1.720]	45.72 [1.800]	16	17	6-103639-6
△9△8	△7	41.15 [1.620]	43.18 [1.700]	15	16	6-103639-5
△9△8	△7	38.61 [1.520]	40.64 [1.600]	14	15	6-103639-4
△9△8	△7	36.07 [1.420]	38.10 [1.500]	13	14	6-103639-3
△9△8	△7	33.53 [1.320]	35.56 [1.400]	12	13	6-103639-2
△9△8	△7	30.99 [1.220]	33.02 [1.300]	11	12	6-103639-1
△9△8	△7	28.45 [1.120]	30.48 [1.200]	10	11	6-103639-0
△9△8	△7	25.91 [1.020]	27.94 [1.100]	9	10	5-103639-9
△9△8	△7	23.37 [.920]	25.40 [1.000]	8	9	5-103639-8
△9△8	△7	20.83 [.820]	22.86 [.900]	7	8	5-103639-7
△9△8	△7	18.29 [.720]	20.32 [.800]	6	7	5-103639-6
△9△8	△7	15.75 [.620]	17.78 [.700]	5	6	5-103639-5
△9△8	△7	13.21 [.520]	15.24 [.600]	4	5	5-103639-4
△9△8	△7	10.67 [.420]	12.70 [.500]	3	4	5-103639-3
△9△8	△7	8.13 [.320]	10.16 [.400]	2	3	5-103639-2
△9△8	△7	5.59 [.220]	7.62 [.300]	1	2	5-103639-1

△11 OBSOLETE
 △11 OBSOLETE
 △11 OBSOLETE
 △11 SUPERSEDED BY 7-103639-1
 △11 OBSOLETE
 △11 SUPERSEDED BY 6-103639-0

△5	15.75 [.620]	17.78 [.700]	5	6	3-103639-3
△5	10.67 [.420]	12.70 [.500]	3	4	3-103639-2
△5	8.13 [.320]	10.16 [.400]	2	3	3-103639-1
△5	30.99 [1.220]	33.02 [1.300]	11	12	3-103639-0
△5	25.91 [1.020]	27.94 [1.100]	9	10	2-103639-9
△5	20.83 [.820]	22.86 [.900]	7	8	2-103639-8
△5	18.29 [.720]	20.32 [.800]	6	7	2-103639-7
△5	13.21 [.520]	15.24 [.600]	4	5	2-103639-6
△5	5.59 [.220]	7.62 [.300]	1	2	2-103639-5
△1	64.01 [2.520]	66.04 [2.600]	24	25	2-103639-4
△1	61.47 [2.420]	63.50 [2.500]	23	24	2-103639-3
△1	58.93 [2.320]	60.96 [2.400]	22	23	2-103639-2
△1	56.39 [2.220]	58.42 [2.300]	21	22	2-103639-1
△1	53.85 [2.120]	55.88 [2.200]	20	21	2-103639-0
△1	51.31 [2.020]	53.34 [2.100]	19	20	1-103639-9
△1	48.77 [1.920]	50.80 [2.000]	18	19	1-103639-8
△1	46.23 [1.820]	48.26 [1.900]	17	18	1-103639-7
△1	43.69 [1.720]	45.72 [1.800]	16	17	1-103639-6
△1	41.15 [1.620]	43.18 [1.700]	15	16	1-103639-5
△1	38.61 [1.520]	40.64 [1.600]	14	15	1-103639-4
△1	36.07 [1.420]	38.10 [1.500]	13	14	1-103639-3
△1	33.53 [1.320]	35.56 [1.400]	12	13	1-103639-2
△1	30.99 [1.220]	33.02 [1.300]	11	12	1-103639-1
△1	28.45 [1.120]	30.48 [1.200]	10	11	1-103639-0
△1	25.91 [1.020]	27.94 [1.100]	9	10	103639-9
△1	23.37 [.920]	25.40 [1.000]	8	9	103639-8
△1	20.83 [.820]	22.86 [.900]	7	8	103639-7
△1	18.29 [.720]	20.32 [.800]	6	7	103639-6
△1	15.75 [.620]	17.78 [.700]	5	6	103639-5
△1	13.21 [.520]	15.24 [.600]	4	5	103639-4
△1	10.67 [.420]	12.70 [.500]	3	4	103639-3
△1	8.13 [.320]	10.16 [.400]	2	3	103639-2
△1	5.59 [.220]	7.62 [.300]	1	2	103639-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.SHUEY 05MAR91	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK L.CASTAGNA 27MAR93	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD L.CASTAGNA 27MAR93	PRODUCT SPEC 108-25034	
MATERIAL		FINISH	SIZE A2	CAGE CODE -
HOUSING:		SEE TABLE	DRAWING NO C=103639	RESTRICTED TO -
CUSTOMER DRAWING		WEIGHT -	SCALE 1:1	SHEET 2 OF 2
			REV W3	