



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com



Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



LOC		DIST		REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		K2		REVISED PER ECO-11-004917	11MAR11	RK	HMR	



1. TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
- $\triangle 2$ THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING.
- $\triangle 3$ POINT OF MEASUREMENT FOR PLATING THICKNESS.
- $\triangle 4$ RETENTION FEATURES ON SOLDER TAILS, LOCATED AT MANUFACTURERS OPTION.
- $\triangle 5$ FOR 2 POSITION PART ONLY, THE NOTED DIMENSION IS $.184 \pm 0.16$
- $\triangle 6$ $\oplus .020 \text{ (M)}$ FOR KINKED TAILS.
- $\triangle 7$ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



$\triangle 7$ OBSOLETE	3.984	3.900	39	80	2-104432-0
	2.984	2.900	29	60	1-104432-9
	2.484	2.400	24	50	1-104432-8
	1.984	1.900	19	40	1-104432-7
$\triangle 7$ OBSOLETE	1.684	1.600	16	34	1-104432-6
	1.484	1.400	14	30	1-104432-5
	1.384	1.300	13	28	1-104432-4
	1.284	1.200	12	26	1-104432-3
	1.184	1.100	11	24	1-104432-2
	1.084	1.000	10	22	1-104432-1
	.984	.900	9	20	1-104432-0
	.884	.800	8	18	104432-9
	.784	.700	7	16	104432-8
	.684	.600	6	14	104432-7
$\triangle 7$ OBSOLETE	.584	.500	5	12	104432-6
	.484	.400	4	10	104432-5
	.384	.300	3	8	104432-4
	.284	.200	2	6	104432-3
	.184	.100	1	4	104432-2
	.084	-	-	2	104432-1
	C	B	A	NO OF POSN	ASSEMBLY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	H MOLL	28JUN88
CHK	R FEIDT	28JUN88
APVD	R FEIDT	28JUN88

TE Connectivity

NAME: HEADER ASSY, MOD II, BREAKAWAY, DBL ROW, .100X.100 CL, VERT, .025 SQ POSTS, WITH RETENTION FEATURE

SIZE	A2	CAGE CODE	00779	DRAWING NO	C=104432
SCALE	4:1	SHEET	1 of 1	REV	K2

MATERIAL HOUSING: FLAME RETARDANT THERMOPLASTIC COLOR-BLACK POST: PHOSPHOR BRONZE
 FINISH POST: .000030 GOLD IN CONTACT AREA, .000100-.000200 MATTE TIN-LEAD ON SOLDER TAIL, ALL OVER .000050 NICKEL

CUSTOMER DRAWING