



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION ,19 .  
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
FT	69	P	LTR	DESCRIPTION	DATE	DWN	APVD
		U		REV PER 0630-0156-03	130CT04	JR	MZ



- $\triangle 1$  MATERIAL; CASE-THERMOPLASTIC, COLOR NATURAL. WHEEL-THERMOPLASTIC, COLOR BLACK. CONTACT-BRASS.
- $\triangle 2$  FINISH: SOLDER TAILS TIN PLATE 0.0038 [.000150] MIN THK OVER 0.0013 [.000050] MIN THK NICKEL. CONTACT AREA 0.00076 [.000030] MIN. HARD GOLD OVER 0.00127-0.00254 [.000050-.000100] LOW STRESS NICKEL.
- $\triangle 3$  CHARACTERS 2.3 [.09] HIGH, COLOR WHITE.




P.C. BOARD HOLE LAYOUT  
 SWITCH SIDE

		POSITION											
		1	2	3	4	5	6	7	8	9	10	FOR 435097-2	
		0	1	2	3	4	5	6	7	8	9	FOR 435097-1	
COMMON TO	0	●											
	1		●										
	2			●									
	3				●								
	4					●							
	5						●						
	6							●					
	7								●				
	8									●			
	9										●		


10	9	8	7	6	5	4	3	2	1	435097-2
9	8	7	6	5	4	3	2	1	0	435097-1
K	J	H	G	F	E	D	C	B	A	PART NO
WHEEL POSN CHARACTERS										

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. McCLINTON 11-20-80	<b>AMP</b> AMP Incorporated Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R. JARRETT 12-1-80		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D.W. RUPNIK 7-16-81	NAME ROTARY SWITCH ASSY 10 POSN, 6000 SERIES DECIMAL	
0 PLC ±- 1 PLC ±- 2 PLC ±0.5 [.02] 3 PLC ±- 4 PLC ±- ANGLES ±0°30'		PRODUCT SPEC 108-7514	DRAWING NO C- 435097	
MATERIAL $\triangle 1$		APPLICATION SPEC 114-7005	SIZE A3	RESTRICTED TO -
FINISH $\triangle 2$		WEIGHT -	CAGE CODE 00779	SCALE 2:1
		CUSTOMER DRAWING	DRAWING NO C- 435097	SHEET 1 OF 3
				REV U

LOC FT	DIST 69	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	U	SEE SHEET 1	-	-	-



- ① FINISH: SOLDER TAILS TIN PLATE 0.0038 [0.000150] MIN THK OVER 0.0013 [0.000050] MIN THK NICKEL. CONTACT AREA 0.00076 [0.000030] MIN. HARD GOLD OVER 0.00127-0.00254 [0.000050-.000100] LOW STRESS NICKEL.
- ② CHARACTERS 2.5 [0.10] HIGH, COLOR BLACK.



P.C. BOARD HOLE LAYOUT  
SWITCH SIDE


	POSITION									
	0	1	2	3	4	5	6	7	8	9
COMMON TO	0	●								
	1		●							
	2			●						
	3				●					
	4					●				
	5						●			
	6							●		
	7								●	
	8									●
	9									

1-435097-1  
PART NO


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 8-7-91	AMP Incorporated Harrisburg, PA 17105-3608		
DIMENSIONS: mm [INCHES]		CHK R. MILLER 8-7-91			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. HUFFMAN 8-9-91	NAME ROTARY SWITCH ASSY, 10 POSN, 6000 SERIES DECIMAL		
0 PLC ±- 1 PLC ±- 2 PLC ±0.5 [0.02] 3 PLC ±- 4 PLC ±- ANGLES ±0°30'		PRODUCT SPEC 108-7514	DRAWING NO 435097		
MATERIAL CASE: THERMOPLASTIC, COLOR NATURAL CONTACT: BRASS		APPLICATION SPEC 114-7005	SIZE A3	CAGE CODE 00779	RESTRICTED TO -
FINISH ①		WEIGHT -	SCALE 2:1		
CUSTOMER DRAWING		SHEET 2 OF 3		REV U	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION, 19 .  
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
FT	69	P	LTR	DESCRIPTION	DATE	DWN	APVD
		U		SEE SHEET 1	-	-	-



- ① FINISH: SOLDER TAILS TIN PLATE 0.0038 [.000150] MIN THK OVER 0.0013 [.000050] MIN THK NICKEL. CONTACT AREA 0.00076 [.000030] MIN. HARD GOLD OVER 0.00127-0.00254 [.000050-.000100] LOW STRESS NICKEL.
- ② FINISH: SOLDER TAILS TIN PLATE 0.0038 [.000150] MIN THK OVER 0.0051 [.000200] MIN THK COPPER. CONTACT AREA 0.00076 [.000030] MIN. HARD GOLD OVER 0.00127-0.00254 [.000050-.000100] LOW STRESS NICKEL.
- ③ CHARACTERS 2.5 [.10] HIGH, COLOR BLACK.



		POSITION									
		0	1	2	3	4	5	6	7	8	9
COMMON TO	0	●									
	1		●								
	2			●							
	3				●						
	4					●					
	5						●				
	6							●			
	7								●		
	8									●	
	9										●

SUPERSEDED BY 2-435097-1 ②  
① 2-435097-3  
2-435097-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 8-7-91	<b>AMP</b> AMP Incorporated Harrisburg, PA 17105-3608	
		CHK R. MILLER 8-7-91		
DIMENSIONS: mm [INCHES]		APVD D. HUFFMAN 8-9-91	NAME ROTARY SWITCH ASSY, 10 POSN, 6000 SERIES DECIMAL	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-7514	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
0 PLC ±-		APPLICATION SPEC 114-7005	A3 00779 C- 435097	
1 PLC ±-		WEIGHT -	SCALE 2:1 SHEET 3 OF 3 REV U	
2 PLC ±0.5 [.02]		CUSTOMER DRAWING		
3 PLC ±-				
4 PLC ±-				
ANGLES ±0°30'				
MATERIAL CASE: THERMOPLASTIC, COLOR NATURAL CONTACT: BRASS		FINISH SEE TABLE		