



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!








Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





△ MATERIAL HOUSING: GLASS FILLED HIGH TEMPERATURE NYLON, COLOR: BLACK.
 CONTACT: PHOS. BRONZE, C51100, TEMPER H06.
 RETENTION POST: STAINLESS STEEL, AMP SPEC 100-309.

△ FINISH CONTACT: NICKEL PLATE ALL OVER 0.00127mm - 0.0019mm [0.00050 IN - 0.00075 IN] THICK.
 PER AMP SPEC 112-25-2.
 GOLD PLATE IN INTERFACE AREA PER AMP SPEC 112-162-5.
 SEE TABLE FOR MIN. THICKNESS.
 MATTE TIN PLATE IN SOLDER TAIL AREA 0.00381mm - 0.00635mm [0.00150 IN - 0.00250 IN] THICK.

△ EXTRACTOR MATERIAL: GLASS FILLED HIGH TEMPERATURE NYLON, COLOR: NATURAL, OFF-WHITE.
 △ EXTRACTOR MATERIAL: POLYSULFONE, COLOR: AMBER, CLEAR

DESCRIPTION	REVISION	DATE	BY	CHK	APP
0.00076mm [0.00030 IN] NON-BUFFERED DRAM, 3.3 VOLT, POST-PLATED CONTACTS	1-5390169-3				
0.00076mm [0.00030 IN] NON-BUFFERED DRAM, 3.3 VOLT, POST-PLATED CONTACTS	1-5390169-2				
0.00076mm [0.00030 IN] NON-BUFFERED DRAM, 3.3 VOLT, POST-PLATED CONTACTS	1-5390169-1				

THIS DRAWING IS A CONTROLLED DOCUMENT.

DATE: 01/19/88
 BY: J. STAMMERS
 CHECKED BY: J. STAMMERS
 APPROVED BY: J. STAMMERS

TYPE: ELECTRONIC CORPORATION
 ADDRESS: 10000 W. BROADWAY, SUITE 100, BOSTON, MA 02144







SOCKET ASSEMBLY, DIMAMP, LOW INSERTION FORCE, 168 POSITION, POST-PLATED LEAD FREE

FOR ORDER NUMBER: A100779-5390169

CUSTOMER DRAWING: 1-5390169

SECTION Y-Y
 CIRCUITS 1 AND 51
 SCALE 8:1

SECTION X-X
 SCALE 8:1



1-5390169-1 SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

NO.	REV.	DATE	BY	DESCRIPTION
1	1	08/22/13	GP	INITIAL RELEASE

APPROVED FOR RELEASE BY THE NATIONAL ARCHIVES ON 08-22-2013.

THIS DRAWING IS UNCLASSIFIED AND IS RELEASED FOR PUBLICATION BY THE NATIONAL ARCHIVES ON 08-22-2013. FOR ADDITIONAL INFORMATION, CONTACT NATIONAL ARCHIVES AT 866.610.4947.

TYPE ELECTRONIC CORPORATION
HARTFORD, CT

SOCKET ASSEMBLY, DIMMFP, LOW INSERTION FORCE, 168 POSITION, POST-PLATED LEAD FREE

1-5390169-1

REVISED TO

DATE

BY

DESCRIPTION

1-5390169-1

REVISED TO

DATE

BY

DESCRIPTION

DETAIL D
SCALE 8:1

SECTION Z-Z
SCALE 6:1

