

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	COMPONENT NOTES
1	50-00576	Connector, USB A 2.0 receptacle, molding style, 180°, nickel plated shell, black insulator	1	
2	50-00580	Connector, USB A micro male	1	
3	30-00088	Wire, 4C, 1PR + 2C, 28 AWG, UL2725, 30V, 80C, 3.6 mm, shielded, VW-1, PVC, 79A, USB 2.0	1	
4	24-00217	Overmold, jack, USB A, slim design for aluminum shell	1	PVC, black
5	24-00218	Overmold, plug, USB micro and mini, slim design for aluminum shell	1	PVC, black
6	55-00074	USB A jack aluminum shell, 14.7x7.2x22.5 mm	1	black
7	55-00075	USB mini & micro aluminum shell, 9.6x5.8x13 mm	1	black



	Wiring diagram								
50-00576	Wire Color	50-00580 1 2							
1	Red								
2	White								
3	Green	3							
4	Black	4 & 5							
Shell	Drain & Shield	Shell							

Notes: Functionally equivalent components may be substituted

Revision: Date: Description: A 1/5/2018 Initial release Prepared: AG Object 2018.01.05 (Date: 2018.0										
Verified: GL Digitally signed by GL Digita	Revision:	Date:	Description:							
Verified: GL Digitally signed by GL Digita	Α	1/5/2018	Initial release	A(Date: 2018.01.05	RoHS and REACH compliant Function test: no open, no short circuit, no		tel 1.541.323.3228 800 877.670.7118			
millimeters. Tolerances: X: ± 0.5 mm X.X: ± 0.3 mm X.X: ± 0.3 mm X.X: = 0.3 mm Tolerances X: + 0.5 mm X.X: + 0.3 mm X.X: +				Digitally signed by GL Date: 2018.01.19 13:22:35 -08'00'						
Ccolor 1.1 Choot 1 of				millimeters. Tolerances: X: ± 0.5 mm	Description: Cable, 1000 mm, 50-00576 USB A receptacle to 50-					
					00360 036 A Micro plug, 28 AWG, 30-00088 Wire		: 1:1		Sheet 1 of 1	

5 4 2