

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China












# Part No. 1001011 GPS/GLONASS/Beidou/Galileo FR4 Antenna (On/Off Ground)

1.561, 1.575, 1.603 GHz

Supports: Tracking, Smart Home, Agriculture, Automotive, Healthcare, Digital Signage, Wearables, Industrial Devices



Ethertronics' antennas deliver on the key needs of device designers for higher functionality and performance in smaller/thinner designs. These innovative antennas provide compelling advantages for 1.575 GHz enabled handheld devices, media players and other mobile devices.

#### **Real-World Performance and Implementation**

Antennas may look alike on the outside, but the important difference is inside. Other antennas may contain simple PIFA or monopole designs that interact with their surroundings, complicating layout or changing performance with use position. Ethertronics' antennas utilize patented Isolated Magnetic Dipole (IMD) technology to deliver a unique size and performance combination.

## GPS / GLONASS / Beidou / Galileo FR4 Antenna

1.559 - 1.610 GHz

#### **Greater Flexibility**

Ethertronics' IMD technology enables the advance antenna design that delivers superior performance in reception critical applications. 1001011 is capable for off-ground and on-ground (over metal) environments.

#### **Electrical Specifications**

Typical Characteristics, on 72 x 50 mm PCB

#### **KEY BENEFITS**

#### Stay-in-Tune

IMD antenna technology provides superior RF field containment, resulting in less interaction with surrounding components.

#### **Quicker Time-to-Market**

By optimizing antenna size, performance and emissions, customer and regulatory specifications are more easily met.

#### Reliability

Products are the latest RoHS version compliant.

#### **APPLICATIONS**

Handheld

Embedded design
 Cellular, Headsets, Tablets
 Gateway, Access Point
 Telematics Tracking
 Healthcare M2M, Industrial devices
 Smart Grid

ORD-II

Frequency (GHz)	1.559 - 1.563	1.575	1.559 - 1.591	1.593 - 1.610
Mounting	Off Ground / On Ground			
GNSS Bands	Beidou	GPS	Galileo	Glonass
Peak Gain (dBi)	0.96 / -0.26	0.87 / -0.22	0.96 / -0.18	1.00 / -0.35
Efficiency (%)	72 / 47	71 / 46	70 / 45	69 / 41
Center Frequency fo (GHz)	1.561	1.575	1.575	1.603
VSWR	1.5:1 / 2.5:1			
Feed Point Impedance	50 Ω unbalanced			

#### **Mechanical Specifications & Ordering Part Number**

Ordering Part Number	1001011	
Size (mm)	22.0 x 3.2 x 3.3	
Mounting	Surface mounted to the PCB	
Weight (grams)	0.45	
Packaging	Tape & Reel	
Demo Board	1001011-02	





1.575 GHz Ethertronics' Embedded Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

#### **Antenna Dimensions**


Typical antenna dimensions (mm)

Part Number	A (mm)	B (mm)	C (mm)
1001011	22.0 ± 0.3	3.2 ± 0.2	$3.3 \pm 0.3$






**Top View** 



#### Pin Descriptions

Pin#	Description
1	Feed
2	Dummy Pad
3	Dummy Pad
4	Dummy Pad




#### **Bottom View**




1.575 GHz Ethertronics' Embedded Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

#### **VSWR and Efficiency Plots (Off-Ground)**


Typical Performances on 72 x 50 mm PCB






#### **Antenna Radiation Patterns (Off-Ground)**

Typical Performances on 72 x 50 mm PCB measured @ 1.575 GHz








1.575 GHz Ethertronics' Embedded Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

#### **Antenna Layout (Off-Ground)**

Typical layout dimensions (mm)



\* VIAS: Diam. 0.2mm, (no vias on transmission lines). Via holes must be covered by solder mask


#### Pin Descriptions


Pin#	Description
1	Feed
2	Dummy Pad
3	Dummy Pad
4	Dummy Pad


#### Matching Pi Network (Demo Board)


Component	Value	Tolerance
P1	DNI	N/A
S1	4.3pF	±0.25pF
P2	1pF	±0.5pF
P3	0Ω	N/A

\*Actual matching values depend on customer design













1.575 GHz Ethertronics' Embedded Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

#### **VSWR and Efficiency Plots (On-Ground)**


Typical Performances on 72 x 50 mm PCB






#### **Antenna Radiation Patterns (On-Ground)**

Typical Performances on 50 x 72 mm PCB measured @ 1.575 GHz








1.575 GHz Ethertronics' Embedded Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

#### **Antenna Layout (On-Ground)**

Typical layout dimensions (mm)



\* VIAS: Diam. 0.2mm, (no vias on transmission lines). Via holes must be covered by solder mask


#### Pin Descriptions


Pin#	Description
1	Feed
2	Dummy Pad
3	Dummy Pad
4	Dummy Pad


#### Matching Pi Network (Demo Board)


Component	Value	Tolerance
P1	2.4pF	±0.1pF
S1	0Ω	N/A
P2	DNI	N/A
P3	0Ω	N/A

\*Actual matching values depend on customer design











1.575 GHz Ethertronics' Embedded Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

#### **Antenna Demo Board**

1001011-02 Off-Ground

Part Number	A (mm)	B (mm)	C (mm)
1001011-02	72.0	50.0	15.0

