

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











Part No. 1002857

EtherHelix™ Mission Critical GPS Antenna

1.575 GHz Circularly Polarized

Supports: Aviation, GPS Navigation Systems, Fire & Rescue, Asset Tracking, Automotive, Security, Home Network application

The world's smallest stand alone circular polarized GPS Antenna





Height: 34.93 mm Diameter: 15.0 mm

EtherHelix GPS Antenna Quadhelix design

1.575 GHz

KEY BENEFITS

Smallest Effective Size

Ethertronics' antennas require a smaller keep-out area for surrounding components, leading to a smaller effective size.

High Performance

Ethertronics' high efficiency and simple design rules lower development risk and speed timeto-market without sacrificing performance. Plus, high RF selectivity eliminates the cost and space for band-pass circuitry. Reliability

Products are the latest RoHS version compliant.

APPLICATIONS

- GPS enabled phones
- GPS navigation systems
- Tracking
- Medical/Healthcare

applications

- Mobile devices Radar Industrial Wireless Monitoring • Automotive

Mission Critical **Applications**

Communication

Commercial/

First Responders

EtherHelix[™] series of GPS Quad Helix Isolated Magnetic Dipole[™] (IMD) antennas deliver on the key needs of device designers for higher functionality and performance in the worlds smallest Stand alone Circular polarized external and internal designs. These innovative antennas provide compelling advantages for GPS enabled cell phones, navigation equipment, and other mobile devices.

Real-World Performance and Implementation

Antennas may look alike on the outside, but the important difference is inside. Other antennas may contain simple PIFA or monopole patch designs that inter-act with their surroundings, complicating component layout or changing performance with use position. Ethertronics' antennas utilize patented IMD technology to deliver a unique size and performance combination.

Electrical Specifications

Measured in Free space

Frequency	GPS - 1.575 GHz		
Polarization	Right Hand CP (RHCP)		
Peak Gain (dBi)	-3.0 [-5 dB at Zenith]		
Beam-width	120 degrees (Axial Ratio < 3dB)		
Axial Ratio (dB)	< 1.5 at zenith		
Average Efficiency (%)	27		
VSWR Match	2.0:1 max		
Feed Point Impedance	50 ohms unbalanced		
Power Handling	0.5 Watt CW		

Mechanical Specifications & Ordering Part Number


Ordering Part Number	1002857	
Size (mm)	34.93 height 15.0 diameter	
Connector	SMA Male	
Weight (grams)	11.8	
Mechanical Rating	IP 68 UV Protected	
Connector	SMA Male	
Operative Temperature (°C)	-40 to +85	
Humidity(°C)	95% RH @ 54	
Packaging	Trays: 60 per tray - 300 per master carton	





Ethertronics' EtherHelix GPS Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

Efficiency, Axial Ratio, RHCP / LHCP Plots

Typical performance, measured in free space








Antenna Radiation Patterns

Typical performance, measured in free space @ 1575 GHz






Ethertronics' EtherHelix GPS Antenna Specifications. Ethertronics produces a wide variety of standard and custom antennas to meet user needs.


Mechanical Dimensions

Typical antenna dimensions (mm)


Part Number	A (mm)	B (mm)	C (mm)
1002857	34.93 ± 0.5	15.0 ± 0.5	1.5 ± 0.3









Connector View



Front View



Diameter View



Bottom View