

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









A D T I A N

۸ ۱	RAISED	TLAL	/ C F F	МОТГ	2


BLADE SCALABILITY CONNECTOR

BLADE SCALABILITY CONNECTOR


PRODUCT NUMBER	OPTIONAL RAISED TEXT (SEE NOTE 3)									
10042773-001	NONE									
10042773-001LF	NONE									
10042773-002	BLADE EXPANSION									
10042773-002LF	BLADE EXPANSION									
10042773-003	BLADE EXPANSION									
10042773-003LF	BLADE EXPANSION									

3 |

10042773-001 10042773-001LF SCALE 1:1



10042773-002 10042773-002LF 10042773-003 10042773-003LF SCALE 1:1



10042773-004 10042773-004LF SCALE 1:1

CONFIDENTIAL

mat'l code S			SEE	SEE NOTE I			tolerances unless otherwise specified				CU	STOM	ER	FC)							
ltr	ecn n	10.	dr	da	te		0.X ±0.3			3		COPY				w.fcic	onnect.	com			
С	-		-			linear	near <u>(), X X -</u>		±0.1	0	projection		title	title GIG-Array 296 POS							
															G-Array 296 POS. PROTECTIVE CAP						
						angles		0° =	±2°		$ \Psi \cup$				- 1	IV O I	CAI	VI.			
						dr	T. BRUNGARD 07/19/04		9/04	MM			product family GIG-Array code								
						engr M. STRAWSER 07/19/04		-	IVIIVI	-	size dwg no					2	3				
						chr	M. STRAWSER 07/19/04		scale		_ \		$\cap \cap$	12	77	3	she	et			
					appd	M. STRAWSER 07/19/04			1:1		A	10042773					1	2			
sheet r		revision	on																		
ind	index sheet																				
			Pr	o/E							3			cag	e code	2	252	93		4	

NOTES:

MATERIAL: LCP

COLOR: BLACK UL RATING: 94 V-O

DDODUCT NUMBER

10042773-004

10042773-004LF

2. THIS PROTECTIVE CAP SHOULD NOT BE USED AS A PICK & PLACE CAP DURING REFLOW.

OPTIONAL RAISED TEXT USE 12pt. HELVETICA FONT, CENTER JUSTIFIED SEE TABLE.

4. THE PRODUCT WHERE THE PART NUMBERS END IN "LF" MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260° C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

5. FOR LEAD FREE PART NUMBERS ADD "LF" SUFFIX, EXAMPLE 10042773-00XLF.

This accument is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this accument may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

В

 $1 \mid 2$

PDM: Rev:C

STATUS: Released

Printed: Sep 03, 2010

В

Α

REV E - 2006-04-18