imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





PART NUMBER SEE SHEET 2


2

3









spec ref	*			dr	Peng-Bing Fu		2012/09/07	proje	ection
tolerance std	T 0 1 5			eng	Rainbow Zhan		2014/08/15		\square
	TOLERANCES UNLES OTHERWISE SPECIFI							\neg	
ASME YI4.5		VIJE JIL		appr	Pei-Ming Zheng		2014/08/15	product	family
		0.X	±0.5	E		۰ ۸II	P + 12S		
surface /	linear	0.XX	±0.25	▏┍		— 4⊓ ÷	F T 123	τ 4LΓ	
		0.XXX	±0.10]	Y	≁ VER	TICAL STB	HEADER	
ASME YI4.5	angular	0°	±2°	www	.fci.com	cat.no).		Р
2						3	PDS: R	ev :A	

В

А


С

U

Copyright FCI.


D

Pro/E File - REV C - 2009-06-09



\sim
/
<u> </u>

	PRODUCT NO.	ROW S		ΗI	GH F	DOM	ER		5		L	Р		
	FRUDULI NU.	RUWS	E1	P1	P2	Ρ3	Ρ4	1	2 3	P5	P6	Ρ7	P8	E2
10) 06 28-440300 LF	D C B A		$\left \frac{1}{2} \right $	$\left \frac{1}{2} \right $		$\left \frac{1}{2} \right $				ĹJ	LM		



eng	Rainbow Zhan		2014/08/15			+		_	
chr	Li- He		2014/08/14 2014/08/15			\bigcirc	-		
appr	Pei-Ming Zheng					product	fam	-	
F	Ċì	<u></u> + + +	P +	125	+	- 4LP			
	Y	± ver	RTICAL	STB	ΗE	ADER			
www	.fci.com	cat.no	٥.					Ρr	00
		3		PDS: I	Rev	:A			ę

А

В

С

IJ

Copyright FCI.

D

2

3

Λ	
4	

			4				
	CODE		DESC	R I P T I (NC		
	E	ST) SIGN	IAL CO	NTAC	T	
	H		F SIG				
	HI		HIGH P				
	HA	M	ETAL	HOLD [DOWN		А
	LJ	STD	LOW P	OWER (CONTA	чСТ	
	LM	MFBL	LOW P	°OWER	CONT	ACT	
							В
							С
	ММ		size A	13	scale 3·2		D
-	4		ecn no	. 🧹	3:2		
-		lade+	rel leve	9	Relea		
	0	. 101	06128	-4403	001	rev	
						A	
oduc		stomer			t 2 of	3	
STA	TUS:Relea	sed	P	rinted: Au	g 15, 201	4	

3

NOTES:

- I) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - -HOUSING GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0. -SIGNAL CONTACT - COPPER ALLOY. -POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.

2

- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) I.I5±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658. APPLICATION SPECIFICATION REFER TO FCI GS-20-141. PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Peng-Bing Fu		2012/09/07		proje	ction	N	1M	size	scale	
eng	Rainbow Zhan		2014/08/15			\square	Įv	V	A 3	3:2	
chr	Li- He		2014/08/14		\square		-		ecn no	-	
appr	Pei-Ming Zheng		2014/08/15		product	family	Рw	vrBlade+	rel level	Rele	ased
F	Ċ		P +	I2S + stb he				on gwb	106128-4	403001	rev A
www.	.fci.com					Pro	oduct -	Custome	r Drw	sheet 3 of	3
		3	I	PDS: Rev	: A		STATUS:Re	eleased	Printe	ed: Aug 15, 201	14

С

FCI

Copyright

D

В

А

4

А

В

С