



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us





Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




PRODUCT NUMBER SEE SHEET 2



| | | | | | | | | | | | |
|---------------------------------------|------------|-------|----------------|------------------------------|----------------|------------------------|--------------|------------------|-------|-----|---|
| spec ref | * | dr | Peng-Bing Fu | 2012/10/10 | projection | MM | size | A3 | scale | 3:2 | |
| tolerance std | ASME Y14.5 | eng | Peng-Bing Fu | 2013/03/25 | | | ecn no | - | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED | | chr | - | - | | | rel level | Released | | | |
| surface | linear | appr | Pei-Ming Zheng | 2013/03/25 | product family | PwrBlade+ | dwg no | 10106132-B006003 | | rev | A |
| ASME Y14.5 | angular | | | 11HDP + 24S RA STB HEADER | cat. no. | Product - Customer Drw | sheet 1 of 3 | | | | |
| | 0.X | ±0.5 | | | | | | | | | |
| | 0.XX | ±0.25 | | | | | | | | | |
| | 0.XXX | ±0.10 | | | | | | | | | |
| | 0° | ±2° | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | |
|--------------------|------|-------------------------------------|----|----|----|----|----|----|----|----|----|-----|--|---|---|---|---|---|
| PRODUCT NO. | ROWS | HIGH POWER | | | | | | | | | | | SIGNAL | | | | | |
| | | E1 | P1 | P2 | P3 | P4 | P5 | P6 | P7 | P8 | P9 | P10 | P11 | 1 | 2 | 3 | 4 | 5 |
| 10106132-B006003LF | DCBA | H1 H1 H1 H1 H1 H1 H1 H1 H1 H1 H1 H1 | | | | | | | | | | | UUUUUUUU TTTTTTTT SSSSSSSS ERRRRRRR | | | | | |



| CODE | DESCRIPTION |
|------|-----------------------------------|
| E | MLBF SIGNAL CONTACT, ROW A (3.43) |
| H1 | STD HIGH POWER CONTACT (3.43) |
| R | STD SIGNAL CONTACT, ROW A (3.43) |
| S | STD SIGNAL CONTACT, ROW B (3.43) |
| T | STD SIGNAL CONTACT, ROW C (3.43) |
| U | STD SIGNAL CONTACT, ROW D (3.43) |

| | | | | | | | | |
|-------------|----------------|------------|---------------------------------------|----|------------------------|----------------------------|----------|--------------|
| dr | Peng-Bing Fu | 2012/10/10 | projection | MM | size | A3 | scale | 3:2 |
| eng | Peng-Bing Fu | 2013/03/25 | | | ecn no | | - | |
| chr | - | - | | | rel level | | Released | |
| appr | Pei-Ming Zheng | 2013/03/25 | product family | | PwrBlade+ | | - | |
| | | | title 11HDP + 24S RA STB HEADER | | | dwg no 10106132-B006003 | | rev A |
| www.fci.com | | | cat. no. | | Product - Customer Drw | | | sheet 2 of 3 |




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

| | | | | | | | | |
|---|----------------|---------------------------------------|---|---|--------------|----------|-------|-----|
| dr | Peng-Bing Fu | 2012/10/10 | projection  | MM  | size | A3 | scale | 3:2 |
| eng | Peng-Bing Fu | 2013/03/25 | | | ecn no | - | | |
| chr | - | - | | | rel level | Released | | |
| appr | Pei-Ming Zheng | 2013/03/25 | product family | PwrBlade+ | | | | |
|  | | title 11HDP + 24S RA STB HEADER | | dwg no 10106132-B006003 | rev A | | | |
| www.fci.com | | cat. no. | Product - Customer Drw | | sheet 3 of 3 | | | |