



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





# 1010a IAQ Meter

## APPLICATIONS

- Check ambient CO and CO<sub>2</sub> levels in work and living spaces
- Monitor results of air control systems
- Ambient air temperature and Humidity
- Test dew point and wet bulb humidity



## FEATURES & BENEFITS

- Calculate percent outside air to maintain acceptable CO<sub>2</sub> levels in buildings and work spaces
- Measure and display Carbon Dioxide (CO<sub>2</sub>) and Carbon Monoxide
- Measure ambient air temperature
- Measure relative humidity, dew point and wet bulb
- Log up to 4,000 readings in 1 second to 23 hour 59 minute intervals
- Download to a computer using the A368 USB cable

### MEASUREMENTS

|                         |                            |
|-------------------------|----------------------------|
| CO <sub>2</sub> .....   | 0 to 5000ppm               |
| Temperature .....       | -4 to 140°F (-20 to 60°C)  |
| Relative Humidity ..... | 5 to 95%                   |
| Dew Point .....         | -47 to 135°F (-44 to 57°C) |
| Wet Bulb .....          | 3 to 135°F (-16 to 57°C)   |
| CO .....                | 0 to 500ppm                |

### RANGES