

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









 $_{\Omega}$ sheet 2 of 2 size CUSTOMER Drawing GANGED MJACK CAT 3 MULTI-PORTS TAB UP 0 : WITHOUT PANEL GROUND 3 : TOP/RIGHT/LEFT 3 SIDES WITH PANEL GROUND 1x4 WITH SHIELD, W/LED 10118067 product family OPTIONAL RIGHT / LEFT SHIELD TAB 0 : WITHOUT LED
1 : LED1: GREEN / LED2: YELLOW
2 : LED1: YELLOW / LED2: GREEN
3 : LED1: GREEN / LED2: GREEN dwg no DIM.B 2 : WITH 2 BACK SHIELD TABS 2 : 30u" GOLD PLATING 5 : 1u" GOLD FLASH PLATING O : RESERVED (NOT USED) OPTIONAL BACK SHIELD TAB OPTIONAL PANEL GROUND projection 1 : 15u" GOLD PLATING CONTACT AREA PLATING INCH scale - LEAD FREE tolerances unless otherwise spedifications angles of X.XX±0.25 angles of X.XX±0.13 6:DIM.B=3.43GARY HSIEH 05/11/11 WENDY CHEN 05/11/1 PACKAGING tolerance WENDY CHEN 05/11/ ASME Y14.5 V ASME Y14.5 X.XXX±0.05 LED COLOR 2 3 engr | WENDY $10118067 - \cancel{x} \times \cancel{x} \times \cancel{x} \times \cancel{x}$ 9. PART NUMBER DESCRIPTION: ×.±1. chr date ecn no dr revision sheet mat'l. code sheet index FCIconnect.com N FOR 5 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE (3 SIDES PANEL GROUND) (3 SIDES PANEL GROUND) THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVE AS DESCRIBED 10118067-XX3XXXXLF HOUSING: HIGH TEMPERATURE THERMOPLASTIC, UL94V-0 CONTACTS: 50u" MIN. NICKEL UNDER PLATED OVER ALL. SELECTIVE GOLD PLATED ON CONTACT AREA, PRODUCT PERFORMANCE PER SPEC. : GS-12-0990. 1u" GOLD PLATED ON SOLDER TAIL. LED SOLDER TAIL: 100u" MIN. BRIGHT TIN OVER 50u" NICKEL UNDER PLATED. LASER MARK FCI LOGO ON THE TOP OF SHIELD. APPEARANCE VIEW SHIELD: 20u" MIN. NICKEL OVER ALL. α \equiv magnapan_n n_noobidman_n n_noobidman_n n_magnapan -YEAR (EX. : 10--2010) PACKING SPEC. : GS-14-2170. 10118067-X00XXXXLF (WITHOUT PANEL GROUND) 10118067-XX0XXXXLF (WITHOUT PANEL GROUND) CONTACTS: COPPER ALLOY. "DATE CODE" DESCRIPTION: COLOR: BLACK. LED SOLDER TAIL: STEEL. SHIELD: COPPER ALLOY. IN GS-22-008. __ WEEK Copyright FCI. 1. MATERIAL: FINISH . 6. form: A4mmXLc М, 5 0/м LED

⋖