## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







2

Printed: Sep 23, 2014

|     |  |  | 2                 |      | 3  |  |            |
|-----|--|--|-------------------|------|--|--|------------|
|     |  | DESCRIPTION  |                   | I    |  |  |            |
|     |  | ejector version  |                   |      |  |  | /          |
|     |  | ejector version  |                   |      |  | · · ·                                    | / ··       |
|     | 10130796-003LF   10 sqmm - with  | ejector version  | ] 8~              |      |  |  |            |
| А   |  |  | $\checkmark$      |      |  |  | ·          |
|     |  |  |                   | \    | $\sim$                                   |  |            |
|     |  | 4  |                   |      |  |  | _ ·· _     |
|     |  | 4  |                   |      |  |  |            |
|     |  |  | Jaman and Charles |      |  |  |            |
|     |  |  |                   |      |  | 7  |            |
|     |  |  |                   |      |  |  |            |
|     |  |  |                   |      | S /                                      |  |            |
|     |  |  |                   |      |  |  |            |
| В   |  |  |                   |      |  |  |            |
| U   |  |  |                   |      | TAA P                                    |  |            |
|     |  |  |                   |      |  |  |            |
|     |  | 2—   |                   | 5    |  |  |            |
|     |  |  |                   |      |  |  |            |
|     |  |  |                   |      |  |  |            |
|     |  |  |                   |      |  | 5  |            |
|     |  | 6—   |                   | A Sa |  |  |            |
|     |  |  |                   |      |  |  |            |
| ~   | NOTES:<br>I. MATERIALS:  |  |                   |      |  |  |            |
| C   | UPPER / LOWER COVER - THERMOPLASTI<br>TERMINAL HOUSING - HIGH TEMPERA  | TURE THERMOPLASTIC:  |                   |      |  | 9  |            |
|     | LOCKING SPRING - HIGH TEMPERA<br>JUMPER HOUSING - THERMOPLASTI   | C;<br>ATURE THERMOPLASTIC;<br>C;                                       |                   |      |  | 8  |            |
| ))) | EJECTOR - THERMOPLASTI<br>TERMINAL BARREL - COPPER ALLOY   | C;<br>(;   |                   |      |  | 7  |            |
|     | TERMINAL BLADES - COPPER ALLON<br>JUMPER TERMINAL - COPPER ALLON   | ,<br>/ .   | <b>E</b> MP       |      |  | -9 5                                     |            |
|     | 2. ALL PLASTICS ARE UL94-VO RATED.   |  |                   |      |  |  |            |
|     | 3. THIS PRODUCT MEETS EUROPEAN UNION DI<br>REGULATIONS AS DESCRIBED IN GS-22-00                                      | RECTIVES AND OTHER COUNT<br>08.  | Υ L               |      | 3  | 3  |            |
|     | 4. THIS PRODUCT IS NOT INTENDED TO BE E<br>SOLDER PROCESS.   | EXPOSED TO A MANUFACTURIN  | 3                 |      |  | 2  |            |
|     | 5. THIS IS A LOOSE PIECE KIT FOR CABLE   | ASSEMBLY APPLIACATION. C   | JSTOMERS          |      |  |  |            |
| _   | WHO CHOOSE THIS KIT PRODUCT SHALL CO<br>THEMSELVES AND TO DECIDE DETAILED AF<br>FOR THE FINAL CABLE ASSEMBLY PRODUCT | ?MFLETE THE CABLE ASSEMBL<br>PPLICATION BASED ON THEIR<br>PERFORMANCE. | TESTING           |      | F . 1                                    | INDE                                     |            |
| D   | 6. RECOMMENDED CABLE : STYLE AWM 10900.  |  |                   |      | dr Luo Weller<br>eng Luo Weller          | 2014/07/01 projet<br>2014/09/21          | ction      |
|     |  |  |                   |      | chr -                                    | · •                                      |            |
|     |  |  |                   |      | appr Pei-Ming Zheng                      | 2014/09/22 product                       |            |
|     |  |  |                   |      |  | VR TWINBLADE I/                          |            |
|     |  |  |                   |      | www.fci.com cat. n                       | ght-angle cable conn<br>o - I            | ector<br>r |
|     | Pro/E File - REV C - 2009-06-09  |  | 2                 |      | [www.rci.com_car. h                      | L. L |            |
|     | 1  |  | Ĺ                 |      | С. С | PDS: Rev :B                              |            |



Printed: Sep 23, 2014



| or ₹<br>Product - Customer |   | sheet 3 of               | <b>B</b>                          |
|----------------------------|---|--------------------------|-----------------------------------|
| ou<br>6 mp                 | 101307  | 96                       | rev                               |
| y la                       | rel level   | Rele                     | ased                              |
| MM                         | size<br>A 3<br>ecn no                                       | scale<br>2:1<br>ELX-DG-1 | D                                 |
|                            |   |                          | C                                 |
|                            |   |                          | B                                 |
|                            | 4<br>PRODUCT N<br>10130796-00<br>10130796-00<br>10130796-00 | )INELF I<br>)2NELF &     | <u>∧ "∧"</u><br>0.2<br>3.2<br>∂.2 |
|                            | 4   |                          |                                   |

STATUS:Released

Printed: Sep 23, 2014

|                  |                                 |                      | 2         | 3   | 4  |
|------------------|---------------------------------|----------------------|-----------|---|--|
|                  | PRODUCT NUMBER                  | INSTANCE DESCRIF     | PTION     |   |  |
|                  | 10130796-001NELF                | 25 sqmm – no ejector | r version |   |  |
|                  | 10130796-002NELF                | l6 sqmm - no ejector | r version |   |  |
|                  | 10130796-003NELF                | 10 sqmm - no ejector | ~ version |   |  |
| ٨                |                                 |                      |           |   |  |
| А                |                                 |                      | ~~4       |   | A  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   | THE REAL                                     |
|                  |                                 |                      |           |   |  |
| П                |                                 |                      |           | × -5  |  |
| В                |                                 |                      |           |   | B  |
|                  |                                 | 2                    |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           | O CO  | 7  |
|                  |                                 | 6                    |           |   | 1  |
|                  |                                 |                      |           |   |  |
|                  |                                 |                      |           |   |  |
| C                |                                 |                      |           |   | TERMINAL HOUSING I                           |
| Ċ                |                                 |                      |           | 9   | STRAIN RELIEF I                              |
|                  |                                 |                      |           | 8   | NUT I  |
| <b>)))'</b>      |                                 |                      |           |   | SCREW I                                      |
|                  |                                 |                      |           |   | LOCKING SPRING I<br>COVER TOP I              |
|                  |                                 |                      | a M       |   | COVER BOTTOM I                               |
| ر                |                                 |                      |           |   | JUMPER ASS'Y                                 |
| - opyrigin - rei |                                 | 3—                   | 9         | 2   | ASS'Y TERMINAL(SHORT) I                      |
| 6 - 1 /          |                                 |                      |           | 1   | ASS´Y TERMINAL (LONG) I                      |
| C o b            |                                 |                      |           | INDE  | X TITLE O'TY                                 |
| D                |                                 |                      | SCALE I:I | dr Luo Weller 2014/07/01 project   eng Luo Weller 2014/09/21 ()     |  |
|                  |                                 |                      |           | eng Luo Weller 2014/09/21   chr - -                                 | IVIIVI A 3 I : I   ■ ● ecn no ELX-DG-18319-1 |
|                  |                                 |                      |           | appr Pei-Ming Zheng 2014/09/22 product                              |  |
|                  |                                 |                      |           | <b>FC</b><br>+ <b>PWR TWINBLADE I/</b><br>+ right-gauge cable conne | O දි I0130796 rev                            |
|                  |                                 |                      |           |   | ector B                                      |
|                  | Pro/E File - REV C - 2009-06-09 |                      | _         | www.fci.com cat. no   | Product - Customer Drw sheet 4 of 4          |
|                  |                                 |                      | 2         | 3 PDS: Rev :B   | STATUS:Released Printed: Sep 23, 2014        |

IJ Ĵ Copyright FCI.

