## mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



		2		3	
	PART NUMBER	) PLUG KIT ,HYBRID-8,I0,I2 P	OS SI	GNAL+2 POS POWER, F	IELD
	SEE TABLE IN SHEET 2	<u>TERMINABLE, P</u>		,	
				AR	
А					
				(9)	
	-			$\searrow$	
				(8)	
В					
		(4)			
Amphenol FCi					
<b>h</b> d					
Am			SL NO.	. DESCRIPTION	MATERI
- C				HOUSING-COMBO	PBT
			2	TERMINAL BLOCK ASSEMBLY	PBT+C(
			3	FEMALE POWER CONTACTS	COPPER
			4	SEAL	SILIC(
	-		5	SLIDE	PBT GF
AFCI			6	HOLDER SECONDARY LOCK	PBT GF PBT GF
16 /			8	GLAND	SILIC(
2016			9	NUT	PBT GF
Û			3		
D		spec ref tolerance std		dr Jibin John 2017/09/26 p   eng B T Varghese 2017/10/26 p	rojection
		ISO 406   TOLERANCES U	JNLESS Foififd L	chr -	-
			(		uct family
		surface - linear 0.XX	$\begin{array}{c} \pm 0.3 \\ \pm 0.13 \end{array}$	Amphenol HYBRID-SIGNAL-	+ P W R
		SO   302 angular 0°			
	Creo File - REV E - 2016-02-12		±2°	cat. no.	- P
	I	2		3 PDS: Rev :B	




А

	F	2
	L	_


Amphenol FCi С


D

AFCI PART NO	ROW	COLUMN 3	COLUMN 2	COLUMN I	
	D	Х	Х	-	
  0 43485- 0 LF	С	-	Х	Х	
10143403-101LF	В	Х	Х	-	
	A	-	Х	Х	
	D	Х	Х	Х	
  0 43485- 02LF	С	-	Х	Х	
10143403 <sup>-</sup> 102Lr	В	Х	Х	Х	
	A	-	Х	Х	
	D	Х	Х	Х	
  0 43485- 03LF	С	Х	Х	Х	
10143403 <sup>-</sup> 103LF	В	Х	Х	Х	
	А	Х	Х	Х	



NOTES:






2

spec ref				dr	Jibin John		2017/09/26	projec	tion
tolerance std				eng	B T Varghese		2017/10/26		
ISO 406	I OLEH	RANCES U NISE SPE	JNLESS	chr	-		-		
ISO 1101		NIJE JIL		appr	K-Paul Biju		2017/10/26	product f	,
		0.X	±0.3	A	hanal	© IIV	BRID-SIGN		2
surface -/	linear	0.XX	±0. 3			— ПІ  + !	DRID-SIG	NALTEWI	7
		0.XXX	±0.05	1	FUI	+ ver	RIO PLUG KIT		
ISO I302	angular	0°	±2°			cat.no	).	-	
2						3	PDS: Rev	:В	

3

Creo File - REV E - 2016-02-12



4