# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





### Cover - EA 5-WS - 1024085

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)

Single covers, for covering one terminal block, with black symbol (lightning flash) snap fit, color: transparent/yellow



### Why buy this product

- Can be labeled
- Protection against accidental actuation of terminal points or disconnect terminal blocks
- Protection against environmental influences
- ☑ Covering of live parts

### Key commercial data

Packing unit	1
Minimum order quantity	100
Catalog page	Page 352 (CL2-2011)
GTIN	4 017918 015275
Custom tariff number	39269097
Country of origin	GERMANY

### Technical data

### General

Color	yellow
Inflammability class according to UL 94	НВ
Ambient temperature (operation)	-40 °C 80 °C
Components	free from silicone and halogen
Material	ABS

### Classifications

### eclass

eCl@ss 4.0	23150301
eCl@ss 4.1	23150301
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143



### Cover - EA 5-WS - 1024085

### Classifications

### etim

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC002498

### unspsc

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

### Approvals

### Certificates

#### Certification

GOST

### Certification EX

Certification submitted

### Approval details

GOST

© Phoenix Contact 2012 - all rights reserved http://www.phoenixcontact.com