imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Disclaimer:

All statements, technical data, and recommendations contained herein are based upon tests we believe to be reliable. However, the accuracy or completeness thereof is not guaranteed. The proper and correct applications of products and data is the responsibility of the user. Statements or recommendations not contained herein shall have no force or effect unless embodied in a written agreement signed by authorized officers of Desco Industries, Inc.

RoHS Compliance Statement

None of the following materials are intentionally added in manufacturing this product: lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenyl ethers (PBDE) as outlined in the Directive 2002/95/EC Article 4.1. See Desco Industries Inc. letter on-line at Desco.com.

Limited Warranty:

Desco warrants for one year that Statfree[®] matting products will be free of defects in materials and workmanship and will guarantee dissipative/ conductive mat properties for the life of the mat. Damage to matting caused by misuse of any kind, including using inappropriate cleaners is not covered by Desco Limited Warranty.

Description:

The premium choice for ESD bench dissipative worksurfaces. Provides a durable and attractive ESD controlled dissipative worksurface. Resists hot solder and most solvents; exceeds NEMA standards for wear resistance. Patented conductive layer provides superior charge dissipation and zero voltage suppression.



Electrical Properties:

Because the electrical properties of many high pressure laminates have some degree of humidity dependence, all high pressure laminate materials should be carefully tested for adequate performance at low humidity prior to selection and installation.

Property	Value	Test Method
Rtt:	10E6 - 10E9 ohms	ANSI/ESD S4.1, DIN 53 276
Rtg:	10E6 - 10E9 ohms	ANSI/ESD S4.1, ASTM, F-150-72 NFPA-99, DIN 53 276
RVOL:	Less than 10E8 ohms	ASTM-D257
Charge Decay:	<0.009 seconds	FTMS-101C, Method 4046

Measured at 50% and 12% relative humidity. Test reports available upon request. Color and texture may vary between lots and mills.

Specifications:

Construction: Thickness:	High pressure thermoset amino resin laminate Nominal 0.038" (0.96mm)
Radius:	1.5" radius corner
Surface:	Top - non-glare matte finish
Post Forming:	5/8" radius, NEMA LD 3.14
Weight:	0.31 lbs/sq ft (0.151 grams/cm ²)
Abrasion Resistance:	Exceeds NEMA LD 3-3.01 Standards
	: Unaffected by most solvents
Heat Resistance:	NEMA LD 3-3.06, 160°F (71°C) continuous

Look for the Micastat[®] brand on Desco laminate sheets - for your protection and auditing purposes.

Cleaning: For optimum electrical performance of your ESD mat surface, clean regularly with an ESD mat cleaner. We suggest using Reztore[™] Surface & Mat Cleaner, Item #10435 or Static-Wipes Item #10600. Do not use cleaners with silicone. Silicone buildup will create an insulative film on the surface.

Grounding: This material must be properly grounded for optimal electrical performance. Ask for Technical Bulletin TB-2000 for grounding instructions.

 Common Point Ground 09826
3/8" Female
Snap Installed


Bench Pad

Micastat [®] Kits - Item Numbers							
Color	24" x 48"	24" x 36"					
Beige	<u>10350</u>	<u>10310</u>					
Blue	<u>10384</u>	<u>10344</u>					
Grey	<u>10382</u>	<u>10342</u>					

Tolerances:

Width ±.250"

Hardware Included Special sizes available upon request. Top -- non-glare matte finish. Bottom -- Double sided tape to attach.



Micastat[®] Sheet

Micastat® Sheets - Item Numbers

Size	Beige	Blue	White	Grey
30" x 10'	<u>10200</u>	<u>10180</u>	<u>10240</u>	<u>10290</u>
30" x 12'	<u>10202</u>	<u>10181</u>	<u>10242</u>	<u>10291</u>
36" x 8'	<u>10203</u>	<u>10182</u>	<u>10243</u>	<u>10292</u>
36" x 10'	<u>10204</u>	<u>10183</u>	<u>10244</u>	<u>10293</u>
36" x 12'	<u>10206</u>	<u>10184</u>	<u>10246</u>	<u>10294</u>
48" x 8'	<u>10208</u>	<u>10185</u>	<u>10248</u>	<u>10295</u>
48" x 12'	<u>10212</u>	<u>10187</u>	<u>10252</u>	<u>10297</u>
60" x 12'	<u>10215</u>	<u>10190</u>	<u>10255</u>	<u>10300</u>

Special sizes available upon request.

Top -- non-glare matte finish.

Grounding hardware not included. Micastat[®] Ground Kits <u>14246</u> & 14244 are recommended.

Ask for Technical Bulletin TB-2091 for further information.

DATE:

January

2012

Specifications and procedures subject to change without notice.

Length ± .250" every 1 linear foot of running material.



Micastat® Dissipative Laminate

DESCO WEST: 3651 WALNUT AVE., CHINO, CA 91710 WEB SITE: Desco.com PHONE (909) 627-8178 DESCO EAST: ONE COLGATE WAY, CANTON, MA 02021-1407 PHONE (781) 821-8370