



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# Grove Shield for Intel Joule

SKU 103030095

At the 2016 Intel Developer Forum, Intel announced the availability of the Joule Module, a Linux system on module that offers high computational power, RAM, and storage



## Description

At the 2016 Intel Developer Forum, Intel announced the availability of the Joule Module, a Linux system on module that offers high computational power, RAM, and storage. This Grove shield introduces the family of Grove modules to the powerful Intel Joule™, aims at helping inventors and IoT developers create their project more convenient and faster.

By simply plugging it on your Joule board, it will own 8 solid and easy-to-use Grove connectors which includes interfaces like I2C, UART, digital I/Os and analog inputs right away. In addition to rich Grove connectors, the shield also keeps 2x20 pin headers in case you want more GPIOs for the project. An integrated switch on the board allows you to select the working voltage at either 5V or 3.3V.

## Note

Please pay attention to the orientation when you are plugging the shield.

Libmraa does not support the UART pins of Joule for the time being. So the UART interface is not available.

## Features

- Interfaces: 8 Grove connectors
- Plug-and-play
- Interfaces Detail: I2C x 3, UART x 1, Digital x 2, Analog x 2
- Working Voltage: 5V/3.3V
- A switch for selecting working voltage.
- 4 channel analog interface, Resolution: 12 Bits
- Working temperature: -40 - 85°C
- Size: 84.9\*51.7mm