

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











5 Inch HDMI Display with USB TouchScreen

SKU 104990243

- Pre-existing Linux/Windows/Mac drivers
- 800 x 480 touchscreen
- Supports Windows XP SP3,Windows 7,Windows 8,Windows
 8.1,Windows 10, Android 4.2, Windows CE7, Ubuntu and Debian

Description

Utilizing pre-existing Linux/Window s/Mac drivers, this 800×480 touchscreen will help you hit the ground running. Resistive touch function give the user full control over any device. Supports Window s XPSP3, Window s 7, Window s 8, Window s 8.1, Windows 10, Android 4.2, Window s CE7, Ubuntu and Debian . Built-in EDID device information very easy to let the equipment correctly identified, USB touch can support functions of the right mouse button and drag and drop.

FEATURES

- Resolution up to 800 x 480
- · USB resistive touch control
- Free-driver, Plug and Play
- Supports Raspbian, Ubuntu Mate, NOOBS with Raspberry Pi
- · Supports Debian, Angstromw ith BeagleBone
- · Supports Windows/Ubuntu/Mac with PC
- · Supports Intel-Processor Base MiniPC.
- · ULP(Ultra Low Power) consumption backlight

SPECIFICATION

• Pow er: 5V Pow er via USB Micro

• Display Type: 5" TFT LCD

• Resolution: 800x480

· Touchscreen: USB

· Interface: HDMI & USB 2.0 Full Speed

PART LIST

- $\, \bullet \, 1 \times 5 \,$ Inch 800 X 480 HDMI $\,$ Display with USB Touchscreen
- 1 x Stylus

DOCUMENT

User Manual