# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## Extract from the online catalog

### ZB 5,LGS:FORTL.ZAHLEN 91-100

Order No.: 1050017:0091



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1050017:0091

Zack marker strip, 10-section, horizontally labeled with the consecutive numbers: 91  $\dots$  100, white

| Commercial data |               |
|-----------------|---------------|
| EAN             | 4017918194864 |
| Pack            | 10 pcs.       |
| Customs tariff  | 39269097      |
| Weight/Piece    | 0.001266 KG   |

#### Product notes

WEEE/RoHS-compliant since: 01/01/2003



#### http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

#### **Technical data**

#### General data

| Color                              | white                          |
|------------------------------------|--------------------------------|
| Pitch                              | 5.20 mm                        |
| Material                           | PA                             |
| Temperature range                  | -40 °C 100 °C                  |
| Inflammability class acc. to UL 94 | V2                             |
| Components                         | free from silicone and halogen |

Wipe resistance

DIN 30646

#### Address

PHOENIX CONTACT Inc., USA 586 Fulling Mill Road Middletown, PA 17057,USA Phone (800) 888-7388 Fax (717) 944-1625 http://www.phoenixcon.com



© 2010 Phoenix Contact Technical modifications reserved;