

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











Grove - I2C Mini Motor Driver

SKU 105020010

The Grove – Mini I2C motor driver is a very tiny motor driver with I2C interface, and it includes two motor driver chips - DRV8830, which helps you control two DC motors or winding of stepper motors on a small board simultaneously.

With four solderable pads back of the board, you can change the I2C address of each motor driver easily. Especially, with the onboard protection circuit, the max limitation current of each channel can be adjusted from 0.2A to 1A, you can set a proper limitation current according to the load.

It can be used for battery-powered toys, printers, and other low-voltage or battery-powered motion control applications due to the features.

Also, Grove – Mini I2C motor driver is belong to Grove System, you can plug it onto the Base shield and work with Arduino directly without any jumper wires.

Features:

- Tiny driver board
- Two motor driver channels
- Working Voltage: 2.75v 6.8v
- Changeable max limitation current
- Grove compatible
- I2C interface
- Easy to use

Technical Details

Dimensions	130mm x 90mm x 10.5mm
Weight	G.W 9g
Battery	Exclude
Board Dimension	40mm X 20mm X 9mm

Part List

Grove - Mini I2C Motor Driver v1.0	1

