



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



General ordering data

Order No.	1063600000
Part designation	WQV 70/95/3
Version	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 3
EAN	4008190187514
Qty.	5 pc(s).

Additional technical data

Explosion-tested version "Ex e"	No
Installation advice	Direct mounting

Cross-connector

No. of cross-connected terminals	3
Pitch	27 mm
Rated current, multi-pole	232 A
Rated voltage	0 V
Type	Cross-connector
Type of fixing	Screwed
Function	Cross-connector
No. of poles	3

Rating data

Rated voltage	0 V
Rated current	232 A

Approvals

Approvals institutes



Classifications

eClass 4.1	27-14-11-99
eClass 5.0	27-14-11-40
eClass 5.1	27-14-11-40

Similar products

Order No.	Part designation	Version
1063500000	WQV 70/95/2	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 2
1072300000	WQV 70/95-PEN	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 2