

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Order No. 1079200000 Part designation WQV 35N/2 Cross-connector / link for modular terminal, Pre-Version assembled cross-connection, No. of poles: 2 EAN 4008190378295

Qty. 20 pc(s).

Explosion-tested version "Ex e" No

Installation advice Direct mounting

No. of cross-connected terminals 4 16 mm Pitch Rated current, 2-pole 125 A 135 A Rated current, multi-pole Rated voltage 0 V

Type Cross-connector Type of fixing Screwed

Pre-assembled cross-connection Function

No. of poles 2

0 V Rated voltage Rated current 115 A

Approvals institutes





Classifications	
eClass 4.1	27-14-11-99
eClass 5.0	27-14-11-40
eClass 5.1	27-14-11-40

Similar products

Order No.		
1079300000	WQV 35N/3	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3
1079400000	WQV 35N/4	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4

