



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## HDC enclosures HDC IP68 HP 24B AS S

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



The RockStar ® HighPower housings are manufactured from high-strength die-cast aluminium and offer perfect protection against harsh environmental conditions thanks to continual optimisation. The multi-part housing gives users the opportunity to examine work processes down to the last step in the workflow.

### General ordering data

Order No.	<a href="#">1079920000</a>
Type	HDC IP68 HP 24B AS S
Version	HDC enclosures, Size: 8, Protection degree: IP 68, Base enclosure, Screw plug, Standard
GTIN (EAN)	4032248841936
Qty.	1 pc(s).

## HDC enclosures HDC IP68 HP 24B AS S

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Technical data

### Dimensions and weights

Length	228 mm	Width	84.5 mm
Height	260 mm	Mounting dimension - width	208 mm
Mounting dimension - height	170 mm	Net weight	1,834.4 g

### Dimensions

Total length housing	228 mm	Width housing C	84.5 mm
Height of housing B	260 mm	Hole pitch length A2	208 mm

### General data

Series	HighPower	Surface finish	Powder coating
Type	Construction (Base)	Type of connection	Screw connection

### Version

Size	8	Surface finish	Powder coating
Type of connection	Screw connection		

### Classifications

ETIM 2.0	EC000437	ETIM 3.0	EC000437
UNSPSC	30-21-18-01	eClass 4.1	27-14-08-05
eClass 5.1	27-14-34-19	eClass 6.2	27-26-07-02
eClass 7.1	27-44-01-02		

### Product information

Descriptive text ordering data	Suitable for HighPower connectors, chapter C
--------------------------------	--

### Approvals

Approvals	
ROHS	Conform

**Data sheet...**

**HDC enclosures  
HDC IP68 HP 24B AS S**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

