



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**HDC enclosures
HDC IP68 HP 24B TO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



{Reference (Object) not found: product668972163737}
{Reference (Object) not found: product668972163737}
{Reference (Object) not found: prod5032234792808}

General ordering data

Order No.	1079930000
Type	HDC IP68 HP 24B TO
Version	HDC enclosures, Size: 8, Protection degree: IP 68, Plug housing, Screw plug, Standard
GTIN (EAN)	4032248842032
Qty.	1 pc(s).

HDC enclosures
HDC IP68 HP 24B TO

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Length	192 mm	Width	64 mm
Height	120 mm	Net weight	822.72 g

Dimensions

Total length housing	192 mm	Width housing C	64 mm
Height of housing B	120 mm		

General data

Series	HighPower	Surface finish	Powder coating
Type	Plug	Type of connection	Screw connection

Version

Size	8	Surface finish	Powder coating
Type of connection	Screw connection		

Classifications

ETIM 2.0	EC000437	ETIM 3.0	EC000437
UNSPSC	30-21-18-01	eClass 4.1	27-14-08-05
eClass 5.1	27-14-34-19	eClass 6.2	27-26-07-02
eClass 7.1	27-44-01-02		

Product information

Descriptive text ordering data	Suitable for HighPower connectors, chapter C
--------------------------------	--

Approvals

Approvals	
ROHS	Conform

**HDC enclosures
HDC IP68 HP 24B TO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

