



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# USB OTG Host Cable – MicroB OTG male to A female

PRODUCT ID: 1099



---

## DESCRIPTION

This cable looks like a USB micro cable but it isn't! Instead of a USB A Plug, it has a USB A Socket on the end. This cable is designed for use with OTG (On the Go) host devices (like the Arduino Due or many tablets) so you can connect a mouse, keyboard, or any other USB device. You'll still need to have drivers on the device, this cable is just a cable and contains no microcontroller or electronics inside.

Approximately 6" long from end to end.

Note: We stock both black and white versions of this cable. While they are functionally identical, we cannot control which version you'll receive.

---

# Technical Details



## Dimensions:

Approximately 6" long from tip to tip

Cable without connectors is 3"

MicroB is 8mm/.3" wide

A female is 11mm/.4" wide

11 grams