

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









BlueStack Micro+ (iOS version)

SKU 109990291



Description

Bluestack board, supports DVMEGA raspberry Pi – boards (not included), both dual and single band. With the BlueDV app, you have access to:

- via Bluetooth: DMR and Fusion, NO DSTAR!!
- via Windows or Linux (USB): DSTAR, Fusion and DMR.

IOS version Bluetooth ONLY

- Switch activated (in), serial mode for Jonathan Naylor (G4KLX mode), MMDVM, BlueDV for Windows, or DVMEGA firmware upgrade mode via X-loadertool.

Note:new units will be switching off programming-mode after 1 minute. This is for MMDVM-mode. Older units; disconnect the wire on radio board after upgrade. Download the needed firmware for the DVMega board HERE! http://dvmega.auria.nl/images/DVMEGA_RH_V229_MEGA.zip

- Switch de-activated (out), BlueDV mode, connecting to BlueDV App. BlueDV is an IOS app, so perfect to use as mobile hotspot!!

NOTE: NO DSTAR SUPPORT YET.

Unit is always powered through the micro usb, so use an adaptor or a battery-pack to power, or just power via the PC/USB-hub.

Technical Details

Technical Details	
Dimensions	97mm x 80mm x 15mm
Weight	G.W 13.5g
Battery	Exclude

Part List

BlueStack Micro+ (los version) 1
