



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com







Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Number of contacts

# 5

500 V  
20 A

Identification	Wire cross section (mm <sup>2</sup> )	Part number	Drawing Dimensions in mm																											
<p>Han-Yellock®, Crimp terminal, silver plated contacts, contact resistance ≤2 mOhm</p> 		11 05 105 3001 11 05 105 3011 11 05 105 3012	  <p>11 05 105 3001 grey 11 05 105 3011 blue 11 05 105 3012 red</p>																											
<p>Han-Yellock®, Crimp contact, gold plated contacts, contact resistance ≤2 mOhm</p> 	0.14–0.37 0.5 0.75 1 1.5 2.5 3 4	11 05 000 6121 11 05 000 6122 11 05 000 6123 11 05 000 6124 11 05 000 6125 11 05 000 6126 11 05 000 6127 11 05 000 6128																												
<p>Han-Yellock®, Crimp contact, silver plated contacts, contact resistance ≤2 mOhm</p> 	0.14–0.37 0.5 0.75 1 1.5 2.5 3 4	11 05 000 6101 11 05 000 6102 11 05 000 6103 11 05 000 6104 11 05 000 6105 11 05 000 6106 11 05 000 6107 11 05 000 6108	<table border="1"> <thead> <tr> <th colspan="2">Wire gauge</th> <th>Stripping length</th> </tr> </thead> <tbody> <tr> <td>0.14-0.37 mm<sup>2</sup></td> <td>AWG 26-22</td> <td>6.5 mm</td> </tr> <tr> <td>0.5 mm<sup>2</sup></td> <td>AWG 20</td> <td>6.5 mm</td> </tr> <tr> <td>0.75 mm<sup>2</sup></td> <td>AWG 18</td> <td>6.5 mm</td> </tr> <tr> <td>1 mm<sup>2</sup></td> <td>AWG 18</td> <td>6.5 mm</td> </tr> <tr> <td>1.5 mm<sup>2</sup></td> <td>AWG 16</td> <td>6.5 mm</td> </tr> <tr> <td>2.5 mm<sup>2</sup></td> <td>AWG 14</td> <td>6.5 mm</td> </tr> <tr> <td>3 mm<sup>2</sup></td> <td>AWG 12</td> <td>6.5 mm</td> </tr> <tr> <td>4 mm<sup>2</sup></td> <td>AWG 12</td> <td>6.5 mm</td> </tr> </tbody> </table> <p>Removal tool 09 99 000 0319 see chapter 90</p>	Wire gauge		Stripping length	0.14-0.37 mm <sup>2</sup>	AWG 26-22	6.5 mm	0.5 mm <sup>2</sup>	AWG 20	6.5 mm	0.75 mm <sup>2</sup>	AWG 18	6.5 mm	1 mm <sup>2</sup>	AWG 18	6.5 mm	1.5 mm <sup>2</sup>	AWG 16	6.5 mm	2.5 mm <sup>2</sup>	AWG 14	6.5 mm	3 mm <sup>2</sup>	AWG 12	6.5 mm	4 mm <sup>2</sup>	AWG 12	6.5 mm
Wire gauge		Stripping length																												
0.14-0.37 mm <sup>2</sup>	AWG 26-22	6.5 mm																												
0.5 mm <sup>2</sup>	AWG 20	6.5 mm																												
0.75 mm <sup>2</sup>	AWG 18	6.5 mm																												
1 mm <sup>2</sup>	AWG 18	6.5 mm																												
1.5 mm <sup>2</sup>	AWG 16	6.5 mm																												
2.5 mm <sup>2</sup>	AWG 14	6.5 mm																												
3 mm <sup>2</sup>	AWG 12	6.5 mm																												
4 mm <sup>2</sup>	AWG 12	6.5 mm																												

Han-Yellock