

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Device markers CC 15/45 MC NE WS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com





The **CC 15/45 MC** is ideal for the 45-mm wide contactor relays and motor circuit breakers. It provides a clean, large-area identification in the electrical cabinet. Can be mounted either as a self-adhesive variant or using a CC-rail 1000 tag rail

General ordering data

Order No.	<u>1111210000</u>	
Туре	CC 15/45 MC NE WS	
Version	Device markers, MultiCard, 15 x 45 mm,	
	Polyamide 66, Colour: White	
GTIN (EAN)	4032248888740	
Qty.	40 pc(s).	



Device markers CC 15/45 MC NE WS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Dimensions and weights

Length	15 mm	Width	45 mm
Height	1.2 mm	Net weight	2.89 g
Markings			
Cadmium		Can be labelled with thermal transfer	
	No	printers	No
Can be printed with plotter	Yes	Can be written with dot-matrix printer	No
Can be written with laser printer	No	Colour	White
Conductor O.D.		Halogen	No
Material		Material colour according to resistance	
	Polyamide 66	code	9
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
Pin can be written (STI)	Yes	PrintJet	Yes
Silicone	No	Speed marking laser	Yes
UL 94 flammability rating	V-2		
Classifications			
ETIMA O O	50001000	ETIM O O	50001000
ETIM 2.0	EC001288	ETIM 3.0	EC001288
UNSPSC	30-21-18-01	eClass 4.1	24-19-02-18
eClass 5.1	27-14-91-29	eClass 6.2	27-14-91-29
eClass 7.1	27-14-91-29		

Froduct illionilatio

Description of article	MultiCard markers for labelling devices

Approvals

Approvals		
ROHS	Conform	



Device markers CC 15/45 MC NE WS


Weidmüller Interface GmbH & Co. KG Klingenbergstraße 16

Klingenbergstraße 16 D-32758 Detmold Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Drawings

Example of use



Product is similar to illustration