



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## HDC enclosures HDC IP68 HP 24B A

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



The RockStar ® HighPower housings are manufactured from high-strength die-cast aluminium and offer perfect protection against harsh environmental conditions thanks to continual optimisation. The multi-part housing gives users the opportunity to examine work processes down to the last step in the workflow.

### General ordering data

|            |   |
|------------|---|
| Order No.  | <a href="#">1120040000</a>  |
| Type       | HDC IP68 HP 24B A   |
| Version    | HDC enclosures, Size: 8, Protection degree: IP 68, Bulkhead enclosure, Screw plug, Standard |
| GTIN (EAN) | 4032248901418   |
| Qty.       | 1 pc(s).  |

**HDC enclosures  
HDC IP68 HP 24B A**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

|        |         |            |         |
|--------|---------|------------|---------|
| Length | 216 mm  | Width      | 72 mm   |
| Height | 49.8 mm | Net weight | 658.6 g |

**Dimensions**

|                      |         |                 |       |
|----------------------|---------|-----------------|-------|
| Total length housing | 216 mm  | Width housing C | 72 mm |
| Height of housing B  | 49.8 mm |                 |       |

**General data**

|        |                         |                    |                  |
|--------|-------------------------|--------------------|------------------|
| Series | HighPower               | Surface finish     | Powder coating   |
| Type   | Bulkhead (Feed-Through) | Type of connection | Screw connection |

**Version**

|                    |                  |                |                |
|--------------------|------------------|----------------|----------------|
| Size               | 8                | Surface finish | Powder coating |
| Type of connection | Screw connection |                |                |

**Classifications**

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 2.0   | EC000437    | ETIM 3.0   | EC000437    |
| UNSPSC     | 30-21-18-01 | eClass 4.1 | 27-14-08-05 |
| eClass 5.1 | 27-14-34-19 | eClass 6.2 | 27-14-34-19 |
| eClass 7.1 | 27-44-05-15 |            |             |

**Product information**

|                                |  |
|--------------------------------|--|
| Descriptive text ordering data | Suitable for HighPower connectors, chapter C |
|--------------------------------|--|

**Approvals**

|           |         |
|-----------|---------|
| Approvals |         |
| ROHS      | Conform |

**HDC enclosures  
HDC IP68 HP 24B A**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

