



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






RTL8710 WiFi Module

SKU 113990294

It is a low-cost wireless IoT platform based on Realtek RTL8710 ARM Cortex-M3 Processor 166MHz. It is tiny but could be prove to be an interesting alternative with its stronger MCU, 1MB ROM, 512KB RAM, built-in 1MB Flash and faster Wifi performance.



Description

RTL8710 Wifi Module is a low-cost wireless IoT platform based on Realtek RTL8710 ARM Cortex-M3 Processor 166MHz. It is tiny but could be prove to be an interesting alternative with its stronger MCU, 1MB ROM, 512KB RAM, built-in 1MB Flash and faster Wifi performance.

RTL8710 Wifi Module uses FreeRTOS as the go-to operating system and can be debugged and programmed using RealTek's RTL8710 SDK over a micro USB connection. It packs up to 17 GPIO, up to 3 I2C, up to 2 PCM, 4 PWM and two high-speed UART and one low-speed. For Wi-Fi, it has a speed of up to 150 Mbps over an 802.11n connection and a top speed of 54 Mbps over 802.11g. Detailed spec as below.

RTL8710 Wifi Module offers an even lower cost even stronger processor. So it helps to provide another better choice on WIFI IoT platform for makers, hobbyists, Hardware engineers and Software engineers, cheaper and more powerful

Key Features

- 802.11 b/g/n, CMOS MAC
- Built-in 32 bit CPU, application processor
- Built-in TCP/IP protocol
- WiFi @ 2.4 GHz, support WPA/WPA2
- Support STA/AP/STA+AP
- Support Smart Config (Include Android and iOS devices)
- SPI、UART、I2C、I2S、GPIO
- Awaken in 2 m, connect and delivery data
- 802.11b + 17 dBm output power

Category	Feature	Spec.
Wireless Parameters	Wireless standard	802.11 b/g/n
	Frequency	2.4GHz~2.5GHz (2400M~2483.5M)
Hardware Parameters	CPU	ARM Cortex M3 (166MHz)
	ROM/RAM/Flash	1MB/512KB/1MB
	SPI	Up to 2
	I2C	3
	GPIO	17
	Working Voltage	3.0~3.6 (3.3V)
	Working Temperature	-20~85
	Package Size	24mm*16mm*0.8mm
	Wireless network model	Station/SoftAP/SoftAP+Station
Software Parameters	Wifi	802.11n up to 150 Mbps, 802.11g up to 54 Mbps
	Network Protocol	TCP/UDP/HTTP/FTP
	Security	WPA/WPA2
	Update Firmware	Local serial port/OTA/Host download
	User configuration	AT+ instruction set, cloud server

Part List

RTL8710 Wifi Module * 1