



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Hamamatsu C12880MA MEMS u-Spectrometer and Breakout Board

SKU 114991292



Description

The Hamamatsu C12880MA micro-spectrometer is an update to the popular C12666MA that we used to carry. The C12880MA has higher resolution and greater sensitivity and is recommended for future designs and experimentation.

The Hamamatsu C12880MA MEMS micro-spectrometer detects wavelengths of light (i.e. colors) and their intensities. It succeeds the C12666MA with a greater sensitivity and spectral range. Its spectral response of 340-850 nanometers lies mostly in the visible spectrum yet extends to near infrared with 15 nm of resolution. The internal CMOS image sensor and optics are hermetically sealed to increase humidity resistance.

We have created a simple breakout board for Arduino with two different optical excitation sources for fluorescence spectroscopy - a super bright white LED and a blue 405 nm laser diode.

Technical Details

Dimensions	25mm x 25mm x 10mm
Weight	G.W 5g
Battery	Exclude

Part List

C12880MA Board	1
----------------	---



C12880MA Breakout Board Diagram

