imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



NOTES:	115101-22-XX.XX	
1. PACKAGE CABLE ASSEMBLIES IN BAG. LABEL BAG WITH AMPHENOL 115101-22-XX.XX AND DATE CODE.	DRAWING NO.	REV DESC
2. CABLE ASSEMBLY TO BE 100% TESTED FOR HI-POT, CONTINUITY, SHORTS AND OPEN.	THIRD ANGLE PROJ. 🕀 🚭	A RELEASE
	LENGTH XX.XX (SEE TABLE)	
0.75" MAX [19.05 MM] TYP(2)	LENGTH TABLE PART NUMBER LENGTH (IN.) 115101-22-06.00 06.00 ±0.25 115101-22-12.00 12.00 ±0.25 115101-22-18.00 18.00 ±0.25 115101-22-24.00 24.00 ±0.50 115101-22-36.00 36.00 ±0.50 115101-22-48.00 48.00 ±0.50 115101-22-48.00 48.00 ±0.50 * ADDITIONAL LENGTHS CAN BE PROVIDED BY CHANGING XX.XX TO DESIRED LENGTH IN INCHES CONTACT CONNEX MARKETING FOR QUOTE	
DESIGN REQUIREMENTS:		
FREQUENCY TO GHz X CONTINUITY VSWR: 1 MAX X HI-POT : 500 VRMS INS. LOSS dB MAX OTHER		009-954-352 A/R 009-881-299 A/R 112533 2 PART NUMBER QTY
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1° NOTICE - These degrees specifications of the data (1) are and specific the	DRAWN DATE KARTHIK R 16-Apr ENGINEER DATE	-13 BNC CRIMP PLUG BNC CRIMP PLUG,
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	KARTHIK R 16-Apr APPROVED DATE	<u>-13</u> USING LMR 240 C VARIOUS LENGTHS
	CAD FILE	

