



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





# Sidekick® SYNC



**GREENLEE®**  
**COMMUNICATIONS**  
A Textron Company

## *Designed with the Technician in mind...*

The Sidekick® Sync is designed to be a cost effective test meter that will satisfy the Telco Technicians' Outside Plant and Customer Premise testing needs. This model is inclusive of all Sidekick® T&ND features for testing Outside Plant twisted-pair cables and coax, and includes a ADSL2+/VDSL2 modem for gathering necessary data.

Auto Test can perform multiple diagnostic tests and displays test results in an easy-to-read manner. Sidekick® Sync also includes the industry standard "Stress Test," reducing repeats and improving the customer's experience.

xDSL sync testing is as simple as pushing a button. Results are displayed in easy to navigate menus and may be saved for future review. Not only does the modem sync with the central office (CO), it can also emulate the central office equipment for testing the customer premise. This allows the user to test a dry cable pair, ensuring quality of service before the xDSL circuit is activated.

- ***Simulates Central Office to Premise connection***
- ***Isolates problems anywhere along the network***
- ***Simple one-button testing for quick deployment***
- ***Performs multiple diagnostic tests with only one instrument***
- ***Auto Test makes testing customizable and consistent***
- ***Easy-to-read digital display reduces meter interpretation errors***
- ***Easily determines if the fault is inside or outside the premise***
- ***Finds faults other test sets miss***
- ***Simplifies troubleshooting***
- ***Increase technician productivity***
- ***Reduces repeat trouble calls***



## Features

### Analog Functions

- Stress Test
- DC Volts - Twisted Pair/COAX
- AC Volts - Twisted Pair/COAX
- Leakage - Twisted Pair/COAX
- Resistance - Twisted Pair/COAX
- Loop Current- Twisted Pair/COAX
- Load Coils
- Longitudinal Balance
- Circuit Loss/Noise
- Power influence (C message)
- Ground Resistance (3 wire)
- Open Meter - Twisted Pair/COAX
- DTMF Tone generation
- 977Hz Tone generation

### xDSL Functions

- Universal Modem Compatibility
- ADSL 2+ (RT and CO emulate)
- VDSL2 (RT and CO emulate)
- Link establishing
- Resync counter
- Showtime (Sync)
- Maximum/actual bit rate
- Capacity
- Noise margin
- Attenuation
- Bits per tone graph
- SNR graph
- Sync, frame, power, margin alarms
- One button xDSL testing
- Optional HPNA Testing
- Upper Layer testing:
  - PPPoE, PPPoA status
  - Ping
  - HTTP
  - FTP
  - Traceroute

## Ordering Information

CAT NO.	UPC NO.	DESCRIPTION	QTY.
1160-5000	00720	SIDEKICK SYNC (1160-5000)	1
1160-0100	00721	MANUAL, SIDEKICK SYNC ENGLISH	1
1160-0101	00722	SOFTCASE, SIDEKICK SYNC	1
1160-0102	00723	CORD, RJ11 TO RING TIP POPPER CLIP	1
1160-0103	00724	ADAPTER USB 2.0 A TO MICRO B FEMALE	1
1160-0104	00725	BATTERY, LI-ION, 3 CELL SMBUS	1
1160-0105	00726	ADAPTER VEHICLE 6FT 5.5 OD, 2.5MM	1
1160-0106	00728	PWR 100-250VAC 2.5MM 15V 1.2A	1
1160-0107	00729	ADAPTER, COAX FEMALE TO FEMALE	1
1160-0108	00733	ASSY, DOOR, SIDEKICK SYNC	1
1160-1000	00734	TOP ASSY, SIDEKICK SYNC	1



### Buttons

- 10 buttons replace the traditional Sidekick® rotary switch
- LEDs around center button indicate the current function
- Center button doubles as the power/enter function
- Up/down and left/right buttons function as ring/tip/rev in analog functions and screen navigation in xDSL and Auto Test functions

### User Interface - LCD

- Large three-digit numerical in analog functions
- 7 lines of text in xDSL, Auto Test, and Menu functions
- LED backlight with automatic brightness adjustment
- Transreflective direct sunlight readability
- Forward facing speaker
- Forward facing battery charge indication

USA

Tel: 800.435.0786  
Fax: 800.451.2632

CANADA

Tel: 866.384.8813  
Fax: 800.524.2653

INTERNATIONAL

Tel: +1.815.397.7070  
Fax: +1.815.397.9247

