



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Revision level		Revision Record	Changed	Date	Approved	Date
Part	Drawing					
	01	THIS SHEET REDRAWN & SPREAD TABLE ADDED T50SOS, T30ROS & T30LOS ADDED TO DRAWING UNS NUMBER & COLUMN DELETED.	A.LOMAX	2/07/02	S.BENTICK	2/07/02
	02	T18ROS ADDED TO THIS DRAWING.	C.HOLDEN	10/12/02	S.BENTICK	10/12/02
	03	T50LOS ADDED TO THIS DRAWING.	A.LOMAX	31/01/03	S.BENTICK	31/01/03
	04	(T18ROS) - "D" 4.0 ± 0.2 WAS 4.1 ± 0.2 "H" 5.1 ± 0.2 WAS 5.0 ± 0.2	A.LOMAX	13/06/03	S.BENTICK	13/06/03
	05	(T30LOS) - "A" 1.2 ± 0.2 WAS 1.15 ± 0.2 (T30ROS) - "A" 1.2 ± 0.2 WAS 1.15 ± 0.2 & "G" 145.0 ± 5.0 WAS 148.0 ± 5.0	C.HOLDEN	08/09/03	S.BENTICK	08/09/03
	06	T50MOS ADDED TO THIS DRAWING.	A.LOMAX	16/03/04	S.BENTICK	16/03/04




Product Code	Cable Range (mm)	A	B	D	E	G	H	Min Loop Tensile Strength (newtons)
T18ROS	1.6 to 20	1.00 ± 0.2	2.5 ± 0.2	4.0 ± 0.2	5.1 ± 0.2	100.0 ± 5.0	5.1 ± 0.2	80
T30ROS	1.6 to 35	1.2 ± 0.2	3.4 ± 0.2	4.5 ± 0.2	6.1 ± 0.2	145.0 ± 5.0	5.7 ± 0.2	135
T30LOS	1.6 to 50	1.2 ± 0.2	3.4 ± 0.2	4.5 ± 0.2	6.1 ± 0.2	200.0 ± 5.0	5.7 ± 0.2	135
T50SOS	1.6 to 35	1.3 ± 0.2	4.6 ± 0.2	5.9 ± 0.2	7.9 ± 0.2	150.0 ± 5.0	6.75 ± 0.2	225
T50ROS	1.6 to 50	1.3 ± 0.2	4.6 ± 0.2	5.9 ± 0.2	7.9 ± 0.2	200.0 ± 5.0	6.75 ± 0.2	225
T50MOS	1.6 to 66	1.3 ± 0.2	4.6 ± 0.2	5.9 ± 0.2	7.9 ± 0.2	245.0 ± 5.0	6.75 ± 0.2	225
T50LOS	1.6 to 110	1.3 ± 0.2	4.6 ± 0.2	5.9 ± 0.2	7.9 ± 0.2	384.0 ± 5.0	6.75 ± 0.2	225

Material P.A. 66

Dimension without tolerances details to:

DIN 16901

ACAD



Drawn A.LOMAX 19/06/02
Approved S.BENTICK 19/06/02

Scale 1:1

Title

OUTSIDE SERRATED SERIES

Drawing-No

CD1349-06

Format

A4

Sheet 1 of 1

The copyright of this drawing is reserved by HELLERMANN TYTON.

It is issued on condition that it is not reproduced, copied or disclosed to a third party, either wholly or in part, without the consent of HELLERMANN TYTON.

HellermannTyton
Network Products Group

Sharston Green Business Park,
Manchester M22 4TY.

Tel: 0161 945 4181

Fax: 0161 947 2228

Tolerances

PERFORMANCE
SPECIFICATION

Product Number
Cross Reference Record

Uncontrolled Document

Pre-UNS Number System	(New) UNS Universal Number System	Customer Part Number
Product Number	Product Number	Product Number
T18ROS	118-04700	-
Reference Drawing Number: XCT-INSL039CST(CD1349-06)		

Issued By:	(New) UNS Product Number	Issue Date:
HellermannTyton	Universal Numbering System	August 19, 2010