



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## **3M™ Virtua™ AP Protective Eyewear 11848-00000-20, Gray Anti-Fog Lens, 20 EA/Case**

3M ID 70071615721, 3M Product Number 11848-00000-20, UPC 10078371118485



- Lightweight design weighs less than one ounce
- Unisex styling
- Meets the requirements of CSA Z94.3-07 and is Impact Rated to ANSI Z87.1-2010
- Anti-fog coating

### **Specifications**

<b>Attribute Name</b>	<b>Value</b>
Brand	Virtua™
Case Quantity	20
Class	Economy
Comfort Features	Lightweight, Wraparound lens
Eyewear Range	Economy
Frame Style/Type	Frameless
Lens Coating	Anti-Fog
Lens Color	Gray
Product Series	AP
Product Type	Safety Glasses
Standards/Approvals	ANSI Z87.1-2015

## Details

- Lightweight design weighs less than one ounce
- Unisex styling
- Meets the requirements of CSA Z94.3-07 and is Impact Rated to ANSI Z87.1-2010
- Anti-fog coating

Unisex styling. Lightweight design weighs less than one ounce. High-wrap lens offers additional coverage. Meets the requirements of CSA Z94.3 and is Impact Rated to ANSI Z87.1-2015.

Unisex styling. Lightweight design weighs less than one ounce. High-wrap lens offers additional coverage. Impact-resistant, 3-piece polycarbonate construction provides impact protection. Anti-fog coating. Lens absorbs 99.9% UV. Meets the highest ultraviolet