## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



	10	9	8	7	6	5	4	3
F					FIN	NISHED LENGTH		
E				4.00"±1.00" -	S WRAP	LABEL		1.60 REF
D	FRO	NT VIEW - MALE RJ45						
С		I WHITE/DRANGE 2-DRANGE 3-WHITE/GREEN 5-GREEN						
В	BOOT: BLACK <u>CABLE:</u> 26 AV	WG SHIELDED ETHERN	ET CABLE CAT-5E ST		LE i/05/27 i/07/23 i/04/03	QUALITY GENERA SYMBOLS (UNLES	L TOLERANCES SS SPECIFIED)	DIMENSION STYLE INCH ONLY
A	ELECTRICAL ACCORDING T	□ CAT5e TING: 30∨ AC/DC	DATE CODE, ∨OLTAGE	& AMPERAGE	ADDED PART NO. TABLEADDED PART NO. TABLEEC NO: IPG2015-2010DRWN: GGUSTAFS 2015/05/27CH'KD: BARDEN 2015/07/23APPR: BWOODMAN2015/04/03	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	RAWN BY DATE GUSTAFS 2015/ HECKED BY DATE ARDEN 2015/ PPROVED BY DATE WOODMAN 2015/ ATERIAL NO. SEE TABLE SIZE THIS DRAWIN INCORPORATE	
	10	9	8	7	6	5	4	3



	10	9	8	7	6	5	4	3	2	1	
F	MATERAIL 12010804 12010803 12010804 12010804 12010803 12010804	00 E66A 14 E66A 01 E66A 02 E66A 15 E66A 03 E66A	IEERING ND. A06005M010 A06005M020 A06005M050 A06005M100 A06005M150 A06005M200								F
E	12010803 12010803 12010803	20 E66A	A06005M300 A06005M500 A06005M900		E66A	06005	M010				E
D	cable length cable type M0101 Meter									D	
С						E Teal	M10010 Me	eter			С
В					LE 5/05/27 5/07/23	QUALITY GENERA SYMBOLS (UNLES	L TOLERANCES SS SPECIFIED)	DIMENSION STYLE INCH ONLY			В
A					ADDED PART NO. TABLEEC NO: IPG2015-2010DRWN: GGUSTAFS 2015/05/27CH'KD: BARDEN 2015/05/23APPR: BWOODMAN2015/04/03	VOLATIONS VELATIONS	± ±.005 CHECK   ±.13 ±.010 BARI   ±.25 ±.020 APPRO   BULAR ±.5° BWO	STAFS2015/03/24ED BYDATEDEN2015/05/29VED BYDATEODMAN2015/04/03IAL NO.DESE TABLETHIS DRAWING CONT	RJ45 TO RJ4 RJ45 ST / #26/4 TE molex MOLEX INC DOCUMENT NO. SD-120108-( AINS INFORMATION THAT IS P SHOULD NOT BE USED WITHOU	' RJ45 ST EAL TPECORPORATEDORPORATED0792 OF 2PROPRIETARY TO MOLEX	A
	10	9	8	7	6	5	4	3	2	1	