

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Accessories HDC CM GUIDING SOCKET

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany Fon: +49 5231 14-0

Fax: +49 5231 14-292083 www.weidmueller.com







Various accessories are available for our inserts. This includes coding elements for the inserts.

General ordering data

Order No.	<u>1202670000</u>	
Туре	HDC CM GUIDING SOCKET	
Version	Heavy Duty Connectors, Accessories	
GTIN (EAN)	4032248985135	
Qty.	100 pc(s).	



Accessories HDC CM GUIDING SOCKET

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	2.411 g	Diameter	5 mm	
Classifications				
eClass 6.2	27-26-12-90	eClass 7.1	27-44-02-90	
Product information				
Descriptive text ordering data	For ConCept metal frames			
Descriptive text technical data	Plan 4 coding pins and 4 coding sockets for each plug-in connector.			
Approvals				
Approvals				
	PG			
	ME25			
ROHS	Conform			