imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PHOENIX CONTACT GmbH & Co. KG http://www.phoenixcontact.de

CRIMPFOX ZA 3-1

Order No.: 1203233

http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1203233

Crimping pliers for non-insulated slip-on connection sleeves 2.8 and 4.8 \mbox{mm}

Commercial data

EAN	4017918018122
Pack	1 Pcs.
Customs tariff	82032090
Weight/Piece	0.4417 KG
Catalog page information	Page 537 (CL-2007)

http://

Product notes

01/01/2003

WEEE/RoHS-compliant since:

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length	195 mm
Color	black
Min. AWG, flexible, multi-strand	16





catalog

Extract from the online



AWG max., flexible, multi-strand	28	
Weight	0.37 kg	
Material	Steel with plastic handle	
Certificates / Approvals		

Approval logo



requested approbations

Certification

GOST

Address

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg,Germany Phone +49 5235 3 00 Fax +49 5235 3 41200 http://www.phoenixcontact.de



© 2008 Phoenix Contact Technical modifications reserved;