



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Crimping pliers - CRIMPFOX-RCI 1 - 1212055

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Crimping pliers, for insulated cable lugs, 0.14 - 1.0 mm<sup>2</sup> (light green, red), oval crimp

### Why buy this product

- The color-coded dies clearly indicate the cross section
- Unlockable pressure lock
- They unlock as soon as the required crimping pressure is reached, therefore ensuring sufficient pressure is applied

### Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 272 (CL2-2011)
GTIN	 4 046356 453851
Custom tariff number	82032000
Country of origin	SWEDEN

### Technical data

#### General

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm
Weight	358 g
Die station	Crimping position 1
Min. cross section	0.14 mm <sup>2</sup>
Max. cross section	0.25 mm <sup>2</sup>
AWG min	26
AWG max	24
Die station	Crimping position 2
Min. cross section	0.25 mm <sup>2</sup>
Max. cross section	0.5 mm <sup>2</sup>
AWG min	24
AWG max	22

# Crimping pliers - CRIMPFOX-RCI 1 - 1212055

## Technical data

### General

Die station	Crimping position 3
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	1 mm <sup>2</sup>
AWG min	22
AWG max	18
Die station	Crimping position 4
Die station	Crimping position 5
Compression	Oval crimp
Type of contact	Insulated cable lugs

## Classifications

### eclass

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043811
eCl@ss 7.0	21043811

### etim

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186

### unspsc

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

## Approvals

### Approvals

---

Approvals

GOST

---

Ex Approvals

# Crimping pliers - CRIMPFOX-RCI 1 - 1212055

## Approvals

Approvals submitted

---

## Approval details



## Accessories

Accessories

Tools

Replacement die - CRIMPFOX-RCI 1/DIE - 1212056



Spare die for CRIMPFOX-RCI 1

---

Replacement spring - CRIMPFOX/ SPR-3 - 1212036



Spare recuperating spring

---

## Drawings

Product drawing

