



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Crimping pliers - CRIMPFOX-RC 2,5 - 1212063

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Crimping pliers, for uninsulated cable lugs, 0.34 - 2.5 mm², indent crimp

Why buy this product

- Compact and lightweight design
- Ergonomically designed handles ensure an optimum grip and help avoid fatigue when working
- Consistently high crimping quality
- For processing uninsulated cable lugs
- Unlockable pressure lock
- Lateral conductor entry
- Marked die stations for precise processing of corresponding cross sections

Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 274 (CL2-2011)
GTIN	 4 046356 453844
Custom tariff number	82032000
Country of origin	SWEDEN

Technical data

General

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm
Weight	350 g
Die station	Crimping position 1
Min. cross section	0.34 mm ²
Max. cross section	0.75 mm ²
AWG min	22
AWG max	20
Die station	Crimping position 2

Crimping pliers - CRIMPFOX-RC 2,5 - 1212063

Technical data

General

Min. cross section	0.75 mm ²
Max. cross section	1.5 mm ²
AWG min	14
AWG max	16
Die station	Crimping position 3
Min. cross section	1.5 mm ²
Max. cross section	2.5 mm ²
AWG min	16
AWG max	14
Die station	Crimping position 4
Die station	Crimping position 5
Compression	Indent crimp
Type of contact	Non-insulated cable lugs

Classifications

eclass

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043811
eCl@ss 7.0	21043811

etim

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186

unspsc

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

Approvals

Approvals

Approvals

GOST

Crimping pliers - CRIMPFOX-RC 2,5 - 1212063

Approvals

Ex Approvals

Approvals submitted

Approval details

GOST 

Accessories

Accessories

Tools

Replacement die - CRIMPFOX-RC 2,5/DIE - 1212064



Spare die for CRIMPFOX-RC 2,5

Replacement spring - CRIMPFOX/ SPR-3 - 1212036



Spare recuperating spring

Drawings

Product drawing



