# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





### Replacement die - CRIMPFOX-M FO/DIE - 1212086

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)

Die, for Crimpfox-M, for coaxial / fiber optics connectors: ST/ SC/ SMA/ SMB/ SFR/ packed in a serial storage box



### Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	91.03 GRM
Custom tariff number	82032000
Country of origin	Sweden

### Technical data

### Dimensions

Length (b)	114 mm
Height	25.5 mm
Width (a)	75 mm

#### General

Color	black
Compression	HEX crimp
Max. cross section	3.25 mm <sup>2</sup>
Min. cross section	3.84 mm <sup>2</sup>
Max. cross section	4.52 mm <sup>2</sup>
Die station	
Max. cross section	5.41 mm <sup>2</sup>

### Classifications

### eCl@ss

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301



### Replacement die - CRIMPFOX-M FO/DIE - 1212086

### Classifications

### eCl@ss

eCl@ss 5.1	21040301
eCl@ss 6.0	21043811
eCl@ss 7.0	21043811
eCl@ss 8.0	21043811

### ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186
ETIM 5.0	EC000168

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

### Approvals

Approvals

#### Approvals

GOST

Ex Approvals

Approvals submitted

### Approval details

GOST 📀

2/3/14 Page 2 / 3



© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com