



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Cable-cutting tool - CUTFOX 12 - 1212128

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)




Cable cutter, for copper and aluminum up to 12 mm diameter (up to 35 mm<sup>2</sup>)

### Why buy this product

- Ergonomic handle design to eliminate fatigue when working
- CUTFOX ... cable cutters for professional cutting results
- All parts of the cable cutters that are subject to particular strain are tempered or specially hardened

### Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 248 (CL2-2011)
GTIN	 4 046356 456081
Custom tariff number	82032000
Country of origin	JAPAN

### Technical data

#### General

Length (b)	165 mm
Height	53 mm
Weight	180 g

### Classifications

#### eclass

eCl@ss 4.0	21040302
eCl@ss 4.1	21040302
eCl@ss 5.0	21040302
eCl@ss 5.1	21040302
eCl@ss 6.0	21049011
eCl@ss 7.0	21049011

# Cable-cutting tool - CUTFOX 12 - 1212128

## Classifications

### etim

ETIM 2.0	EC000142
ETIM 3.0	EC000142
ETIM 4.0	EC000142

### unspsc

UNSPSC 6.01	23171604
UNSPSC 7.0901	23171604
UNSPSC 11	23171604
UNSPSC 12.01	23171604
UNSPSC 13.2	23171604

## Approvals

### Approvals

---

Approvals

GOST

---

Ex Approvals

---

Approvals submitted

---

### Approval details

GOST 
--

---