

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Stripping tool - WIREFOX 16-1 - 1212157

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)



Stripping pliers, for cables and conductors with a cross section of 6 - 16 mm², self-adjusting, any stripping length, also suitable for sensor/actuator cables

Why buy this product

☑ WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 264 (CL2-2011)
GTIN	4 046356 454162
Custom tariff number	82032000
Country of origin	GERMANY

Technical data

General

Length (b)	166 mm
Height	102 mm
Width (a)	25 mm
Color	black
Weight	120 g

Classifications

eclass

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043706
eCl@ss 7.0	21043706



Stripping tool - WIREFOX 16-1 - 1212157

Classifications

etim

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC000163

unspsc

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

	0	7
GOST	6	2

 $\ \ \, \ \ \, \ \ \, \ \ \, \ \ \, \ \, \ \, \ \, \ \,$ Phoenix Contact 2012 - all rights reserved http://www.phoenixcontact.com